



VX2467-MHD - 24" 1080P 1MS 100HZ FREESYNC MONITOR WITH HDMI, DP, AND VGA

## Key Features

---




FULL HD (1920 x 1080P) RESOLUTION



24"  
**DISPLAY**



MVA  
**PANEL**



1920 x 1080  
**RESOLUTION**



## Product Description

---

The ViewSonic® VX2467-mhd is a 24" (23.8" viewable) Full HD price-performance monitor built for gaming and entertainment. Equipped with AMD FreeSync, this monitor's variable refresh rate capabilities virtually eliminate screen tearing and stuttering for fluid game play during fast-paced action scenes. An ultra-fast 1ms response time (MPRT) provides smooth screen performance free from blurring or ghosting. For a game-winning competitive edge, a Game Mode hot key optimizes gameplay for FPS, RTS and MOBA. On top of that, a black stabilization function helps you target enemies lurking in the dark, while enabling the monitor to maintain brilliantly rich colors and contrast for total immersion. Flexible connectivity options such as DisplayPort, HDMI, and VGA allow you to connect to your dedicated graphics card and gaming console. The VX2467-mhd features all the perks needed to dominate all your gaming and entertainment quests.


## Specifications

---

[More Information](#)

|                                    |                                              |
|------------------------------------|----------------------------------------------|
| <b>UPC</b>                         | 766907016048                                 |
| <b>Screen Size</b>                 | 24"                                          |
| <b>Viewable Area (in.)</b>         | 23.8                                         |
| <b>Panel Type</b>                  | MVA                                          |
| <b>Display Resolution</b>          | 1920 x 1080                                  |
| <b>Display Resolution</b>          | Full HD (1920x1080)                          |
| <b>Static Contrast Ratio</b>       | 3,000:1                                      |
| <b>Dynamic Contrast Ratio</b>      | 80,000,000:1                                 |
| <b>Light Source</b>                | LED                                          |
| <b>Brightness</b>                  | 250 cd/m2                                    |
| <b>Colors</b>                      | 16.7M                                        |
| <b>Color Space Support</b>         | 6 bit+FRC                                    |
| <b>Aspect Ratio</b>                | 16:9                                         |
| <b>Response Time (Typical GTG)</b> | 4ms                                          |
| <b>Response Time (GTG w/OD)</b>    | 1ms                                          |
| <b>Viewing Angles</b>              | 178º horizontal, 178º vertical               |
| <b>Backlight Life (Hours)</b>      | 30,000                                       |
| <b>Panel Surface</b>               | Anti-Glare type, Hard-coating (3H), Haze 25% |
| <b>Refresh Rate</b>                | 100Hz                                        |
| <b>Adaptive Sync</b>               | AMD FreeSync™                                |
| <b>PC Resolution (max)</b>         | 1920 x 1080                                  |
| <b>Mac® Resolution (max)</b>       | 1920 x 1080                                  |
| <b>3.5mm Audio In</b>              | 1                                            |
| <b>3.5mm Audio Out</b>             | 1                                            |
| <b>VGA</b>                         | 1                                            |
| <b>HDMI 1.4 In</b>                 | 1                                            |
| <b>DisplayPort</b>                 | 1                                            |
| <b>Internal Speakers</b>           | 2W (x2)                                      |
| <b>Eco Mode (Conserve)</b>         | 20W                                          |
| <b>Eco Mode (optimized)</b>        | 25W                                          |
| <b>Consumption (typical)</b>       | 29W                                          |
| <b>Consumption (max)</b>           | 36W                                          |
| <b>Voltage</b>                     | AC 100-240V (universal), 50-60Hz             |
| <b>Stand-by</b>                    | 0.5W                                         |
| <b>Power Supply</b>                | Internal                                     |
| <b>Cable Organization</b>          | No                                           |

|                                     |                                                                                                    |
|-------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>Kensington Lock Slot</b>         | 1                                                                                                  |
| <b>Physical Controls</b>            | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)                                               |
| <b>On Screen Display</b>            | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu                |
| <b>Temperature</b>                  | 32-104º F (0 - 40º C)                                                                              |
| <b>Humidity (non-condensing)</b>    | 20-90%                                                                                             |
| <b>VESA Compatible</b>              | 100 x 100 mm                                                                                       |
| <b>Frequency Horizontal</b>         | HDMI (v1.4): 15 ~ 83 KHz, DisplayPort: 24 ~ 83 KHz                                                 |
| <b>Frequency Vertical</b>           | HDMI (v1.4): 50 ~ 100 Hz, DisplayPort: 50 ~ 100 Hz                                                 |
| <b>Tilt (Forward/Back)</b>          | 5° / 23°                                                                                           |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, NOM, Mexico Energy                                   |
| <b>Net (lbs)</b>                    | 7.7                                                                                                |
| <b>Net Without Stand (lbs)</b>      | 6.5                                                                                                |
| <b>Gross (lbs)</b>                  | 10.6                                                                                               |
| <b>Net (kg)</b>                     | 3.5                                                                                                |
| <b>Net Without Stand (kg)</b>       | 2.9                                                                                                |
| <b>Gross (kg)</b>                   | 4.8                                                                                                |
| <b>Packaging (in.)</b>              | 23.6 x 16.3 x 5.2                                                                                  |
| <b>Physical (in.)</b>               | 21.2 x 16.1 x 8.0                                                                                  |
| <b>Physical Without Stand (in.)</b> | 21.2 x 12.7 x 2.0                                                                                  |
| <b>Packaging (mm)</b>               | 600.0 x 414.0 x 131.0                                                                              |
| <b>Physical (mm)</b>                | 540.0 x 408.0 x 202.0                                                                              |
| <b>Physical Without Stand (mm)</b>  | 540.0 x 323.0 x 50.0                                                                               |
| <b>Package Contents</b>             | VX2467-MHD Display, Power Cable, HDMI Cable, Quick Start Guide                                     |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                                 |
| <b>Warranty</b>                     | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |
| UPC: 766907016048                   |                                                                                                    |



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
888.881.8781  
email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)