



VA220-H - 22" 1080P VA MONITOR WITH HDMI, VGA

Key Features


- MVA Panel Technology
- 3-sided Frameless Design
- Versatile HDMI and VGA Connectivity
- Full HD 1080p Resolution



22
DISPLAY



MVA
PANEL



1920 x 1080
RESOLUTION



Product Description

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA220-H delivers solid multimedia features and a sleek design at a great value. Featuring a three-sided frameless design and MVA panel technology, this 22" (21.5" viewable) monitor delivers stunning brightness and contrast at nearly any viewing angle. Whether for working at the office, or enjoying entertainment at home, the VA220-H features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. Immerse yourself in a smoother viewing experience with built-in variable refresh rate technology that virtually eliminates screen tearing and stuttering. A three-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA220-H a great overall value choice.

Specifications

More Information

UPC	766907026931
Screen Size	22
Viewable Area (in.)	21.5
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	4,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2

Colors	16.7M
Color Space Support	8 bit true
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	100Hz
Flicker-Free	Yes
Blue Light Filter	Yes
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
VGA	1
HDMI 1.4 In	1
Eco Mode (Conserve)	16W
Eco Mode (optimized)	18W
Consumption (typical)	20W
Consumption (max)	22W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.3W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	75 x 75 mm
Frequency Horizontal	HDMI: 30 ~ 120 KHz; VGA: 24 ~ 86 KHz
Frequency Vertical	HDMI: 48 ~100 Hz; VGA: 48 ~75 Hz
Regulations	cTUVus, FCC-B, ICES003, CEC, IRAM S-Mark, NOM, Mexico Energy
Net (lbs)	5.5
Net Without Stand (lbs)	4.6
Gross (lbs)	7.3
Net (kg)	2.5

Net Without Stand (kg)	2.1
Gross (kg)	3.3
Packaging (in.)	21.7 x 15 x 4.2
Physical (in.)	19.5 x 15 x 7.4
Physical Without Stand (in.)	19.5 x 11.3 x 2.0
Packaging (mm)	550.0 x 382.0 x 106.0
Physical (mm)	495.0 x 382.0 x 189.0
Physical Without Stand (mm)	495.0 x 287.0 x 51.0
Package Contents	VA220-H Display, Power Cable, AC/DC Adapter, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907026931



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com