



## VG2860MHL-4K - 28" ERGONOMIC 4K UHD MONITOR WITH HDMI, DP AND DVI

## Key Features


- Stunning Ultra HD resolution
- Next generation connectivity
- View up to four video sources
- Ergonomic Design



28"  
**DISPLAY**



TN  
**PANEL**



3840 x 2160  
**RESOLUTION**



## Product Description

The ViewSonic® VG2860mhl-4K 28" Ultra HD LED monitor delivers stunning definition, ergonomic design, and future-proof connectivity for the ultimate work environment. Featuring a 3840x2160 ultra-high resolution panel, this monitor displays vivid, detailed images with 4-times the pixel density of conventional Full HD monitors. Future-proof connectivity options include DisplayPort 1.2a, HDMI, DVI, and 4-USB ports for flexible connectivity to a variety of applications ranging from document editing to reviewing detailed graphics. ViewSonic's MultiPicture™ functionality allows for efficient multitasking by providing simultaneous viewing of up to four split windows, while full ergonomic functionality delivers maximum comfort and enhanced productivity. With an energy-saving Eco-mode feature, the VG2860mhl-4K delivers great power savings while boosting productivity for a variety of business applications.

## Specifications

### More Information

<b>UPC</b>	766907774115
<b>Screen Size</b>	28"
<b>Panel Type</b>	TN
<b>Display Resolution</b>	3840 x 2160
<b>Static Contrast Ratio</b>	1,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	300 cd/m2
<b>Response Time (Typical GTG)</b>	2ms
<b>Viewing Angles</b>	170° horizontal, 160° vertical
<b>Backlight Life (Hours)</b>	30,000

<b>Panel Surface</b>	3H Anti-glare, hard-coating
<b>PC Resolution (max)</b>	3840 x 2160
<b>Mac® Resolution (max)</b>	3840 x 2160
<b>USB Type A</b>	4
<b>USB Type B</b>	1
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>HDMI In</b>	2
<b>DVI-D</b>	1
<b>DisplayPort</b>	1
<b>Mini DisplayPort</b>	1
<b>Internal Speakers</b>	3-watt (x2)
<b>Eco Mode (Conserve)</b>	28W
<b>Eco Mode (optimized)</b>	34W
<b>Consumption (typical)</b>	48W
<b>Consumption (max)</b>	56W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1, 2, Down, Up, Power
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Humidity (non-condensing)</b>	10-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	24~160kHz
<b>Frequency Vertical</b>	24~75Hz
<b>Analog Sync</b>	Separate Sync, Composite Sync, Sync on Green
<b>Height Adjust</b>	150 mm / 5.9 in
<b>Swivel</b>	350°
<b>Pivot (Right/Left)</b>	90° / 0°
<b>Tilt (Forward/Back)</b>	5° / 37°
<b>Regulations</b>	CE, CB, RoHS, ErP, REACH, WEEE, WHQL, Windows8, cULus, FCC-B, Mexico Energy, EAC, Ukraine, GS, Ergo
<b>Net (lbs)</b>	17.2
<b>Net Without Stand (lbs)</b>	11.7
<b>Gross (lbs)</b>	22.5
<b>Net (kg)</b>	7.8

<b>Net Without Stand (kg)</b>	5.3
<b>Gross (kg)</b>	10.2
<b>Packaging (in.)</b>	29.2 x 19.4 x 7.7
<b>Physical (in.)</b>	26.0 x 19.0 x 10.5
<b>Physical Without Stand (in.)</b>	26.0 x 15.4 x 1.9
<b>Packaging (mm)</b>	742 x 493 x 196
<b>Physical (mm)</b>	659.7 x 483.4 x 266
<b>Physical Without Stand (mm)</b>	659.7 x 391.0 x 49.3
<b>Package Contents</b>	VG2860mhl-4K monitor, Power cable, DisplayPort cable, Audio cable, USB 3.0 cable, Quick Start Guide, ViewSonic Wizard CD (with user guide)
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Classification</b>	Discontinued

UPC: 766907774115



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781 ☎

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com) ↕