

VX3276-2K-MHD - 32" 1440P THIN-BEZEL IPS MONITOR WITH HDMI, DP, AND MINI DP

## Key Features

---



WQHD (2560x1440p) Resolution




32"  
DISPLAY



IPS  
PANEL



2560 x 1440  
RESOLUTION



## Product Description

---

The ViewSonic® VX3276-2K-mhd is a sleek 32" (31.5" viewable) WQHD monitor with a modern and minimalist style perfect for home use. With IPS Panel technology, this monitor offers best-in-class screen performance with ultra-wide viewing angles. A premium ID includes an ultra-slim profile and unique desktop stand. A sleek edge-to-edge frameless design combined with a stunning 2560 x 1440 resolution provides 70% more on-screen content than Full HD monitors, making project management and multitasking easier than before. Versatile HDMI, DisplayPort, and Mini DisplayPort inputs offer flexible connectivity options for both computing and gaming, while an exclusive ViewMode™ feature provides intuitive presets for optimized screen performance in different applications. With ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment that combines style and high performance for the home.



## Specifications

---

<b>UPC</b>	766907001860
<b>Screen Size</b>	32"
<b>Viewable Area (in.)</b>	31.5
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	2560 x 1440
<b>Display Resolution</b>	WQHD (2560x1440)
<b>Static Contrast Ratio</b>	1,200:1
<b>Dynamic Contrast Ratio</b>	80,000,000:1
<b>Light Source</b>	WLED
<b>Brightness</b>	250 cd/m2
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10 Bit
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	8ms
<b>Response Time (GTG w/OD)</b>	4ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>PC Resolution (max)</b>	2560 x 1440
<b>Mac® Resolution (max)</b>	2560 x 1440
<b>3.5mm Audio Out</b>	1
<b>HDMI 1.4 In</b>	2
<b>DisplayPort</b>	1
<b>Mini DisplayPort</b>	1
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	36W
<b>Eco Mode (optimized)</b>	41W
<b>Consumption (typical)</b>	43W
<b>Consumption (max)</b>	48W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1,2,3,4,5,6 (power)

<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>Frequency Horizontal</b>	HDMI: 15 ~ 113KHz, DP / Mini DP: 24 ~ 113KHz
<b>Frequency Vertical</b>	HDMI: 24 ~ 75Hz, DP / Mini DP: 50 ~ 75Hz
<b>Digital Sync</b>	TMDS for HDMI, PCI-E for DP / Mini DP
<b>Tilt (Forward/Back)</b>	4° / 15°
<b>Regulations</b>	cTUVus, FCC-B with ICES003, MX-CoC, Mexico Energy
<b>Net (lbs)</b>	13.6
<b>Net Without Stand (lbs)</b>	12.3
<b>Gross (lbs)</b>	18.1
<b>Net (kg)</b>	6.2
<b>Net Without Stand (kg)</b>	5.6
<b>Gross (kg)</b>	8.2
<b>Packaging (in.)</b>	30.9 x 19.6 x 4.4
<b>Physical (in.)</b>	28.1 x 19.8 x 9.1
<b>Physical Without Stand (in.)</b>	28.1 x 16.4 x 1.5
<b>Packaging (mm)</b>	785.0 x 498.0 x 112.0
<b>Physical (mm)</b>	712.9 x 503.9 x 230.0
<b>Physical Without Stand (mm)</b>	712.9 x 416.4 x 38.2
<b>Package Contents</b>	VX3276-2K-mhd Display, Power Cable, HDMI Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

UPC: 766907001860



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)