



CDP9800

Key Features

- Ultra HD resolution
 - 4K video support in 2x2 daisy-chain
 - Reliable 24/7 continuous operation
 - Integrated USB multimedia player
 - Portrait or landscape mountable
-



98"
DISPLAY



PANEL



RESOLUTION



Product Description

The ViewSonic® CDP9800 is a 98" professional-grade commercial display with 3840x2160 Ultra HD resolution and 500 nits brightness for impactful messages and detailed images ideal for conference rooms, retail applications, and control rooms. With integrated DisplayPort, and flexible portrait and landscape mounting options, up to four of these displays can be daisy-chained for a stunning 2x2 video wall configuration. In addition to dual 10W speakers and versatile connectivity options, including DisplayPort, HDMI, DVI, VGA, YPbPr, and CVBS, the display comes with simple and convenient USB multimedia playback functionality. Integrated with an industry-standard OPS slot, this display offers seamless connectivity with external PCs and media players. Free bundled vController software offers easy maintenance and an intuitive interface for remote management via a PC server or laptop.

Specifications

More Information

UPC	766907822816
Internal Speakers	10W (x2)
HDMI In	3
VGA	1
RCA Audio In	1
3.5mm Audio In	1
3.5mm Audio Out	1
Slot-in PC Slot	1
RS232 Out	1


Ethernet LAN (RJ45)	1
Consumption With Slot-In PC (typical)	564W
Consumption Without Slot-In PC (typical)	500W
Temperature	41-104° F (5 - 40° C)
Humidity (non-condensing)	20-80%
Net (lbs)	201.5
Gross (lbs)	296.3
Net (kg)	91.4
Gross (kg)	134.5
Packaging (in.)	98.5 x 61.8 x 17.7
Physical Without Stand (in.)	86.4 x 49.1 x 3.5
Packaging (mm)	2503 x 1569 x 450
Physical Without Stand (mm)	2193.2 x 1248.2 x 89.8
VESA Compatible	800 x 500 mm
Screw Size	M8
Screw Length (mm)	15
Warranty	Three-year limited warranty on parts and labor
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Package Contents	CDP9800 display, power cable, VGA cable, audio cable, USB cable, RS232 adapter, remote control with batteries, ViewSonic Wizard CD (User Guide and vController™ software)
Regulations	WEEE, CCC, cULus/CTUVus, FCC, MX-CoC, Mexico Energy, RoHS
Classification	Discontinued
Screen Size	98"
Orientation	Landscape / Portrait
Light Source	DLED
Display Resolution	3840 x 2160
Aspect Ratio	16:9
Static Contrast Ratio	1,300:1
Backlight Life (Hours)	30,000
Brightness	500 cd/m2
Response Time (Typical GTG)	11ms
Bezel Width (in.)	Top 0.63 in / Left 0.63 in / Bottom 0.63 in / Right 0.63 in
Bezel Width (mm)	Top 16 mm / Left 16 mm / Bottom 16 mm / Right 16 mm
Viewing Angles	178° horizontal, 178° vertical
Panel Surface	Anti-glare, Hard coating 3H
Operation Rating	24/7

UPC: 766907822816



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 