



PG703W - 1280 X 800 RESOLUTION, 4,000 ANSI LUMENS, 1.55~1.70 THROW RATIO

Key Features


- SuperColor: Amazing Color Accuracy
- 4000 Lumen Brightness
- Energy Efficient SuperEco
- Network Capable
- Reduced Input Latency



30 - 300 in. / 0.76 - 7.62 m
DISPLAY



PANEL



1920 x 1080
RESOLUTION



Product Description

The ViewSonic® PG703W projector features 4,000 lumens, WXGA 1280 x 800 native resolution, an intuitive, user-friendly design, and a sleek white chassis. Exclusive SuperColor™ technology offers a wide color gamut for beautiful image production in nearly any environment. An energy-saving SuperEco™ feature reduces power consumption and extends the lamp life by up to 15,000 hours. A 10W speaker delivers incredibly clear and audible sound, while a top lamp door enables easy access for lamp maintenance. The PG703W is the ideal high brightness projector for use in both classroom and corporate settings.

Specifications

More Information

UPC	766907916119
Light Source	DLP Lamp
Display Resolution	WXGA (1280x800)
Display Resolution	1280 x 800
Brightness (Lumens)	4,000 ANSI
Screen Size	30 - 300 in. / 0.76 - 7.62 m
Throw Distance	3.3 - 36.02 ft / 1 - 10.98 m
Throw Ratio	1.55~1.70
Keystone	Vertical (+/- 40°)

Lens	1.1x optical zoom
Light Source (watt)	240
Light Source Life, Normal (hours)	4000
Light Source Life, Dynamic Eco-Mode (hours)	15000
Color Depth	1.07B Color (R/G/B 10bit)
Dynamic Contrast Ratio	22,000:1
Aspect Ratio	16:10
Input Lag	37ms
Frequency Horizontal	15k~102kHz
Frequency Vertical	23~120Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
Ethernet LAN (RJ45)	1
3.5mm Audio Out	1
3.5mm Audio In	1
Control (RS232)	1
HDMI In	1
HDMI MHL	1
VGA In	1
VGA Out	1
Composite RCA Video In	1
S-Video In	1
Mini USB	1
3D VESA	1
Internal Speakers	10W (x1)
Voltage	100-240 VAC, 50-60Hz
Consumption (typical)	350W
Stand-by	<0.5W
Temperature	32-104° F (0 - 40° C)
Net (lbs)	5.3
Gross (lbs)	7.5
Net (kg)	2.4
Gross (kg)	3.4
Packaging (in.)	14.37 x 11.81 x 7.4
Physical (in.)	11.57 x 8.58 x 4.33
Packaging (mm)	365 x 300 x 188


Physical (mm)	294 x 218 x 110
AV Control	AMX Certified, ATEN Certified, Crestron Certified, Extron Certified, PJ Link Certified
Regulations	FCC (including ICES003), cTUVus
Package Contents	PG703W projector, power cable, VGA cable, remote control, Quick Start Guide
Warranty	Three-year limited warranty on parts and labor, 1-year limited warranty on lamp, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Classification	Discontinued

UPC: 766907916119



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 