


XG2402 - 24" OMNI 1080P 1MS 144HZ GAMING MONITOR WITH FREESYNC PREMIUM AND RGB

Key Features


- 144hz refresh rate
- Rapid Response Time
- 22-Level Black stabilization
- Game Mode Hotkey
- AMD FreeSync™ technology
- Low input lag for seamless gaming experience



24"
DISPLAY



TN
PANEL



1920 x 1080
RESOLUTION



Product Description



The ViewSonic® XG2402 is a 24" Full HD monitor packed with all the speed and features that diehard gaming enthusiasts need. Featuring an incredible 144Hz refresh rate, as well as AMD FreeSync™ technology, this monitor's variable refresh rate capabilities virtually eliminate screen tearing and stuttering for fluid gameplay during fast-paced action scenes. A blazing-fast 1ms response time and low input lag provides smooth screen performance even in the most graphic-intense sequences. For a game-winning competitive edge, a Game Mode feature optimizes visuals for FPS, RTS and MOBA. On top of that, a customizable 22-level black stabilization function helps you target enemies lurking in the dark, while the monitor maintains brilliantly rich colors and contrast. With a gamer-inspired ergonomic stand that features an integrated headphone hook and cable management functionality, the XG2402 has all you need to conquer your gaming and entertainment quests.

Specifications

	More Information
UPC	766907927412
Screen Size	24"
Viewable Area (in.)	24
Panel Type	TN
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	120,000,000:1
Light Source	LED
Brightness	350 cd/m2
Colors	16.7M
Color Space Support	(6-Bit+A-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	1ms
Viewing Angles	170° horizontal, 160° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Refresh Rate	144Hz
X Lighting	Yes
Adaptive Sync	AMD FreeSync™
Flicker-Free	Yes
Blue Light Filter	Yes
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB 3.0 Type A	2
USB 3.0 Type B	1
3.5mm Audio Out	1
HDMI 1.4 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	25.5W
Eco Mode (optimized)	26.9W
Consumption (typical)	27.6W

Consumption (max)	28.3W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	1, 2, 3, 4, 5, 6 (Power)
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	15 ~ 160KHz (HDMI), 30 ~ 160KHz (DisplayPort)
Frequency Vertical	24 ~ 144Hz (HDMI), 48 ~ 146Hz (DisplayPort)
Digital Sync	TMDS (HDMI), PCI-E (DisplayPort)
Height Adjust	120 mm / 4.7 in
Swivel	90º
Pivot (Right/Left)	90º / 0º
Tilt (Forward/Back)	5º / 20º
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT Silver, Mexico CoC, Mexico Energy
Net (lbs)	14.8
Net Without Stand (lbs)	7.5
Gross (lbs)	18.7
Net (kg)	6.7
Net Without Stand (kg)	3.4
Gross (kg)	8.5
Packaging (in.)	25.2 x 15.6 x 8.2
Physical (in.)	22.3 x 17.1 x 9.4
Physical Without Stand (in.)	22.3 x 13.4 x 2.4
Packaging (mm)	640.0 x 396.0 x 207.0
Physical (mm)	566.0 x 433.9 x 239.2
Physical Without Stand (mm)	566.0 x 341.0 x 60.2
Package Contents	LCD Display, Power Cable, DisplayPort Cable, USB3.0 Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907927412



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
 888.881.8781 📞
 email:
salesinfo@viewsonic.com