



VA2261H-2

Key Features


- Full HD 1080p resolution
 - Versatile connectivity
 - Superior color rendering and intuitive settings
 - Enhanced viewing comfort
 - Energy-saving Eco-mode
-



22
DISPLAY



TN
PANEL



1920 x 1080
RESOLUTION

Product Description

The ViewSonic VA2261h-2 is a 22"(21.5" viewable) Full HD LED Monitor which is ideal for business or home usage. It features 1080p resolution which delivers stunning image quality and more detailed content. ViewSonic's exclusive ViewMode feature provides intuitive presets that deliver optimized screen performance in different applications. Besides, Flicker-Free technology and a Blue Light Filter help to eliminate eye strain from extended viewing periods for improved productivity. HDMI and VGA provides flexible connectivity, and a VESA-compatible mount adapt easily to multi-monitor or wall-mount set ups.

Specifications

More Information

UPC	766907003123
Screen Size	22
Viewable Area (in.)	21.5
Panel Type	TN
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	600:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	200 cd/m ²

Colors	16.7M
Color Space Support	6 bit + 2 bit Hi FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	90° horizontal, 65° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Eco Mode (Conserve)	12.5W
Eco Mode (optimized)	14.5W
Consumption (typical)	21.5W
Consumption (max)	24W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key Buttons 1, 2, 3, 4, 5 (Power)
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	75 x 75 mm
Frequency Horizontal	15 ~ 82 KHz
Frequency Vertical	50 ~ 75 Hz
Digital Sync	TMDS
Regulations	cTUVus, FCC-B with ICES003, MX-CoC, Mexico Energy
Net (lbs)	5.8
Net Without Stand (lbs)	4.9
Gross (lbs)	7.9
Net (kg)	2.6
Net Without Stand (kg)	2.2


Gross (kg)	3.6
Packaging (in.)	22.2 x 15.4 x 4.5
Physical (in.)	19.9 x 15 x 7.1
Physical Without Stand (in.)	19.9 x 12.3 x 1.9
Packaging (mm)	565.0 x 390.0 x 115.0
Physical (mm)	505.0 x 381.0 x 180.0
Physical Without Stand (mm)	505.0 x 312.0 x 48.0
Package Contents	VA2261h-2 Display, Power Cable, VGA Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907003123



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 