





VX2758-P-MHD - 27" 1080P 144HZ 1MS FREESYNC PREMIUM MONITOR

Key Features


- 144Hz Refresh Rate
- Rapid Response Time
- AMD FreeSync Technology
- Frameless Design



27"
DISPLAY



TN
PANEL



1920 x 1080
RESOLUTION



Product Description

The ViewSonic® VX2758-P-MHD is a 27" 1080p gaming monitor built for gaming and entertainment. With a sleek frameless design, the VX2758-P-MHD provides a seamless viewing experience for multi-monitor gaming setups. Featuring a 144Hz refresh rate and AMD FreeSync technology, this monitor virtually eliminates screen tearing and stuttering for fluid game play during fast-paced action scenes. In addition, an ultra-fast 1ms response time provides smooth screen performance free from blurring or ghosting. For a game-winning competitive edge, a Game Mode hot key optimizes gameplay for FPS, RTS and MOBA. Flexible connectivity options such as DisplayPort and HDMI allow you to connect to your dedicated graphics card and gaming console. The VX2758-P-MHD features all the perks needed to dominate all your gaming and entertainment quests.

Specifications

More Information

UPC

766907003000

Screen Size

27"

Viewable Area (in.)	27
Panel Type	TN
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + Hi-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Response Time (GTG w/OD)	1ms
Response Time (MPRT)	1ms
Viewing Angles	170º horizontal, 160º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	144Hz
Adaptive Sync	AMD FreeSync™
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio Out	1
HDMI 1.4 In	1
HDMI 2.0 In	1
DisplayPort	1
Internal Speakers	2.5W (x2)
Eco Mode (Conserve)	28W
Eco Mode (optimized)	33W
Consumption (typical)	38W
Consumption (max)	42W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5, Key 6 (power)

On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI: 30 ~ 180 KHz, DisplayPort: 180 ~ 180 KHz
Frequency Vertical	HDMI: 48 ~ 144 Hz, DisplayPort: 48 ~ 144 Hz
Digital Sync	TMDS for HDMI (v1.4, v2.0), PCI-E for DisplayPort (v1.2)
Tilt (Forward/Back)	5° / 15°
Regulations	CEC, MX-CoC, Mexico Energy, CE, CE EMC, CB
Net (lbs)	13.3
Net Without Stand (lbs)	11.3
Gross (lbs)	17.2
Net (kg)	6.0
Net Without Stand (kg)	5.1
Gross (kg)	7.8
Packaging (in.)	26.6 x 17.7 x 6.9
Physical (in.)	24.2 x 17.7 x 7.4
Physical Without Stand (in.)	24.2 x 14.4 x 2.0
Packaging (mm)	675.0 x 450.0 x 174.0
Physical (mm)	615.0 x 450.0 x 189.0
Physical Without Stand (mm)	615.0 x 365.0 x 50.0
Package Contents	VX2758-P-MHD, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Classification	Discontinued
UPC: 766907003000	



Contact Sales

ViewSonic.com

888.881.8781 

email:

salesinfo@viewsonic.com

