

M1MINI - ULTRA PORTABLE LED PROJECTOR WITH JBL SPEAKER, HDMI AND USB

Key Features


- Ultra-portable Design
- Versatile Smart Stand
- JBL Audio
- Built-in battery with Power Bank Compatibility




24 - 100 in. / 0.6 - 2.54 m
DISPLAY



PANEL



1920 x 1080
RESOLUTION



Product Description

The ViewSonic® M1 mini is a pocket-sized ultra-portable LED projector that delivers big-screen entertainment in nearly any location. Featuring a built-in battery with power bank compatibility, the M1 mini delivers true portability and hours of entertainment without the need of a power cord. Lightweight and measuring only 4" x 4", this tiny projector can be placed in your purse, backpack, or back pocket, making it perfect for entertainment on the go. The M1 mini also includes swappable panels in three different colors - gray, yellow, and teal - so you can change the look of the projector to suit your style. An integrated smart stand provides for flexible setup, while also doubling as a lens cover. A built-in JBL speaker provides crisp and clear sound, while a USB reader port lets you play multimedia content from an external dongle. Compact and lightweight, the M1 mini can be enjoyed in the kids' room or in the backyard, or carry it on the road camping, in hotels, or anywhere your travels take you.

Specifications

UPC	766907005639
Light Source	LED
Display Resolution	WVGA (854x480)
Display Resolution	854 x 480
Brightness (Lumens)	120 LED (50 ANSI)
Screen Size	24 - 100 in. / 0.6 - 2.54 m
Throw Distance	2.1 - 8.7 ft / 0.6 - 2.7 m
Throw Ratio	1.2
Keystone	Vertical (+/- 40°)
Light Source (watt)	RGB LED
Light Source Life, Normal (hours)	30000
Color Depth	1.07B Color (R/G/B 10bit)
Dynamic Contrast Ratio	120,000:1
Aspect Ratio	16:9
Input Lag	37ms
Frequency Horizontal	15h-135kHz
Frequency Vertical	23-120Hz
PC Resolution (max)	1920 x 1080
PC Resolution (min)	640 x 480
Mac® Resolution (max)	1920 x 1080
Mac® Resolution (min)	640 x 480
USB 2.0 Type A	1
HDMI 1.4 (with HDCP 1.4)	1
Micro USB	1
Internal Speakers	2W (x1)
Consumption (typical)	10W
On Screen Display	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	0-90%
Net (lbs)	0.7
Gross (lbs)	1.4
Net (kg)	0.3
Gross (kg)	0.6
Packaging (in.)	8.3 x 2.4 x 5.5
Physical (in.)	4.3 x 1.1 x 4.1

Packaging (mm)

210.0 x 60.0 x 140.0

Physical (mm)

110.0 x 27.0 x 104.0

Regulations

FCC, cTUVus, ROHS

Package Contents

M1 Mini Projector, Swappable panels (Gray, Teal and Yellow), Wrist Strap, USB A to Micro USB Cable, and Remote Control, Quick Start Guide

Warranty

One-year limited warranty on parts and labor, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).

Recycle/Disposal

Please dispose of in accordance with local, state or federal laws.


Battery Chemistry

Lithium-ion

Portability

Portable

UPC: 766907005639



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)

888.881.8781
email:
salesinfo@viewsonic.com