





EP2410T-B1 - 24" DISPLAY, 1920 X 1080 RESOLUTION, 250 CD/M2 BRIGHTNESS, 16/7

Key Features


- 10-POINT MULTI-TOUCH
- POWERFUL QUAD CORE PROCESSOR
- OPTIONAL AUTOMATIC HAND SANITIZING DISPENSER
- OPTIONAL CONTENT MANAGEMENT SOFTWARE
- " EQUIPPED WITH WI-FI, BLUETOOTH, AND RJ45
- VERSATILE CONNECTIVITY



24"
DISPLAY



IPS
PANEL



RESOLUTION

Product Description

The ViewSonic® EP2410T-B1 is a Health Flex Hand Sanitizing Station bundled with a 24" touch display, media player, and hand sanitizer dispenser holder. With a sleek and slim design, and optional touchless dispenser for hands-free sanitizing, the EP2410T-B1 makes displaying health notices, business information, and promotions easier than ever. Featuring Full HD 1080p resolution, 178°/178° wide-angle viewing, 250-nit brightness, 1,000:1 contrast ratio, and dual stereo speakers, the EP2410T-B1 delivers customized multimedia messaging with vivid clarity. Photo and video files can be played back using the external Octa-core media player and 16GB of internal memory, or you can add your own media player using the convenient media player cradle inside the lockable security door. Highlight your commitment to your customers' health with the ViewSonic Health Flex Hand Sanitizing Station bundle.

Specifications

More Information	
Screen Size	24"
Viewable Area (in.)	23.6

Display Resolution	1920 x 1080
Light Source	LED
Static Contrast Ratio	3,000:1
Brightness	250 cd/m2
Colors	16.7M
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Response Time (Typical GTG)	16ms
Panel Surface	Anti-glare, hard-coating (3H)
Panel Type	IPS
Operation Rating	16/7
Internal Speakers	2.5W (x2)
3.5mm Audio Out	1
3.5mm Mic In	1
Ethernet LAN (RJ45)	1
HDMI 1.4 In	1
HDMI 1.4 Out	1
USB 2.0 Type A	4
USB 2.0 Type B	1
SD Card Slot	1
DC Jack (12V/4A)	1
Media Player Type	Yes
Voltage	AC 100-240V (universal), 50-60Hz
Consumption (max)	40W
Consumption (typical)	16W
Stand-by	<2W
Temperature	32~95º F (0 - 35º C)
Humidity (non-condensing)	20-90%
Frequency Horizontal	15~90kHz
Frequency Vertical	24~75Hz
Gross (lbs)	66.7
Net (lbs)	54.4
Gross (kg)	30.3
Net (kg)	24.7
Packaging (in.)	65.0 x 20.0 x 20.0
Physical (in.)	60.0 x 16.0 x 16.0

Packaging (mm)	1651.0 x 508.0 x 508.0
Physical (mm)	1524.0 x 406.4 x 406.4
Regulations	cTUVus, FCC-B(including ICES003), FCC-ID, CA IC
Package Contents	STND-059 x 1, VSD243 x 1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	One-year limited warranty on parts and labor

Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 