





XG2705-2K - 27" OMNI 1440P 1MS 144HZ IPS GAMING MONITOR WITH FREESYNC PREMIUM, HDMI, AND DP

Key Features


- Wide Quad HD Resolution
- 144Hz Refresh Rate
- Ultra-Fast Response Time
- AMD FreeSync™ Premium
- SuperClear IPS Technology



27
DISPLAY



IPS
PANEL



2560 x 1440
RESOLUTION



Product Description

The ViewSonic® XG2705-2K is a 27" WQHD IPS monitor built with the speed and performance that gamers need. Featuring a 144Hz refresh rate and AMD FreeSync™ Premium technology, this monitor virtually eliminates screen tearing and stuttering for fluid game play during fast-paced action scenes. An ultra-fast 1ms (MPRT) response time also provides smooth screen performance free from blurring or ghosting. For multi-display setups, a three-sided borderless design maximizes viewing size while minimizing frame distractions. Flexible connectivity options such as DisplayPort and HDMI allow you to connect to your PC and gaming console. Equipped with a fully adjustable stand that includes height adjust, swivel, pivot and tilt, as well as a VESA-compatible mount, the XG2705-2K delivers the comfort gamers need for marathon sessions.

Specifications

More Information	
UPC	766907009989
Screen Size	27
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	2560 x 1440
Display Resolution	WQHD (2560x1440)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED

Brightness	350 cd/m2
Colors	1.07B
Color Space Support	10 bit (8 bit + FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	3ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Refresh Rate	144Hz
PC Resolution (max)	2560 x 1440
Mac® Resolution (max)	2560 x 1440
3.5mm Audio Out	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	25W
Eco Mode (optimized)	32W
Consumption (typical)	38W
Consumption (max)	55W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	15 ~ 255 KHz
Frequency Vertical	48 ~ 144 Hz
Height Adjust	120 mm / 4.7 in
Swivel	45º
Pivot (Right/Left)	90º / 0º
Tilt (Forward/Back)	5º / 20º

Regulations	cTUVus, FCC-B, ICES003, CEC, MX-CoC, Mexico Energy
Net (lbs)	16.8
Net Without Stand (lbs)	9.7
Gross (lbs)	20.9
Net (kg)	7.6
Net Without Stand (kg)	4.4
Gross (kg)	9.5
Packaging (in.)	29.1 x 17.6 x 7.5
Physical (in.)	24.1 x 17.08~21.3 x 9.4
Physical Without Stand (in.)	24.1 x 14.5 x 2.2
Packaging (mm)	738.0 x 448.0 x 191.0
Physical (mm)	613.0 x 433.9~541.1 x 239.0
Physical Without Stand (mm)	613.0 x 368.0 x 55.0
Package Contents	XG2705-2K Display, Power Cable, DisplayPort Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
UPC: 766907009989	



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781 📞

email: salesinfo@viewsonic.com ✉️