VB-CAM-201 - 4K WIDE-ANGLE CONFERENCE CAMERA WITH PAN/TILT/ZOOM, MICROPHONE ARRAY, AND BLUETOOTH

# Key **Features**

- Better Conference Calls
- Wide-Angle Advanced Optic Lens
- Clear Audio and Communication
- Software Versatility
- Expandable Bluetooth® Connectivity
- Easy and Flexible Installation

# Product **Description**

The ViewSonic® VB-CAM-201 is a 4K video conferencing camera perfect for medium to large-sized conference rooms and boardrooms. With 4K Ultra HD resolution and a 120° super wide-angle lens, the VB-CAM-201 captures everyone in a meeting room with stunning clarity. Voice-tracking technology, combined with 5x digital zoom, ensures that the speaker is always on camera. In addition, an 8W speaker and a four-microphone array with noise and echo cancellation technologies ensure that everyone on your call feels as if they are in the room with you. Plug-and-play connectivity with ViewSonic ViewBoard® interactive displays and commercial displays make setup quick and easy.

# Specifications

More Information

| | |
|---|---|
| **UPC** | 766907010909 |
| **Sensor** | 1/2.5 inch, CMOS, 8.51M pixel |
| **Lens** | 5x digital zoom, pan/tilt ±15° |
| **Digital Noise Reduction** | 2D, 3D digital noise reduction |
| **White Balance** | Auotmatic, Indoor, Outdoor, One Push, Manual |
| **Field of View (FOV)** | 120°(DFOV), 110°(HFOV) |
| **Display Resolution** | 3840 x 2160 |

| | |
|---|---|
| **PTZ** | MPT + EPTZ |
| **HDMI 2.0 Out** | 1 |
| **USB 2.0 Type A** | 1 |
| **USB 3.0 Type C** | 1 |
| **Ethernet LAN (RJ45)** | 1 |
| **Video Support** | 4K@30fps, 1080P@60fps, 1080P@30fps, 720P@60fps, 720P@30fps, etc. |
| **Compression** | H.264 / MJPEG /YUY2 /NV12 |
| **Internal Speakers** | 8W (x1) |
| **Sensitivity** | 96dB at 0.5m / 1.6 ft |
| **Audio features** | 32K sampling rate, high-definition broadband audio, full-duplex voice / Auto Echo cancellation / Auto Noise suppression / Auto Gain control |
| **USB protocol** | Support UAC 2.0 |
| **Microphone** | Beamforming microphone |
| **Microphone array** | 4 microphones |
| **Distance** | 6m / 20 ft |
| **Minimum Hardware Specs** | CPU (Recommended) 2.4GHz Intel® Core 2™ Duo processor or higher, RAM (Recommedned) 2GB of Memory or higher, USB 2.0 Type-A required for 1080p video output, USB Type-C required for 4K UHD video output |
| **Voltage** | DC 12V/1.5A Adapter |
| **Consumption (typical)** | 18W |
| **Bluetooth** | Bluetooth 5.0 |
| **Temperature** | 32-104º F (0 - 40º C) |
| **Humidity (non-condensing)** | 20-90% |
| **Wireless Connectivity** | N/A |
| **Packaging (in.)** | 26.54 x 18.98 x 18.66 |
| **Physical (in.)** | 23.62 x 5.31 x 4.53 |
| **Packaging (mm)** | 674 x 482 x 474 |
| **Physical (mm)** | 600 x 135 x 115 |
| **Net (lbs)** | 4.86 |
| **Gross (lbs)** | 28.66 |
| **Gross (kg)** | 4.86 |
| **Warranty** | One-year limited warranty on parts and labor |
| **Recycle/Disposal** | Please dispose of in accordance with local, state or federal laws. |
| **Regulations** | FCC, FCC ID, CE, IC ID, LVD |
| **Package Contents** | VB-CAM-201, Documentation, Remote Control, Power Adapter, Bracket, USB Type-C Cable, Bracket Screw x 6, Wall Anchor x 6 |

UPC: 766907010909




## Contact Sales

[ViewSonic.com](ViewSonic.com)
888.881.8781
email:
salesinfo@viewsonic.com