



VP2776 - 27" COLORPRO™ 1440P IPS NANO COLOR MONITOR WITH COLORPRO WHEEL AND 90W USB C

Key Features

- Pantone Validated Display
- Cinematic Color and Image Quality
- Integrated ColorPro Wheel
- Amazing Color Accuracy
- Excellent Screen Uniformity
- Reduce Clutter with Single-Cable Solution
- Magnetic Monitor Hood



27"
DISPLAY



IPS
PANEL



2560 x 1440
RESOLUTION



Product Description


The ViewSonic® ColorPro™ VP2776 is a 27" professional monitor that delivers outstanding visual performance and amazing color accuracy. Its IPS Nano Color panel boasts a 2560x1440 (QHD) resolution and 95% DCI-P3 color coverage that brings images to life with deep and vibrant colors. An integrated ColorPro Wheel provides easy and accurate color calibration for precise performance, while a 165Hz refresh rate delivers smoother on-screen media, perfect for world-class photographers, vloggers, video editors, animators and game designers. USB-C connectivity helps to simplify your workspace by delivering audio, video, data and up to 90W of power delivery over a single universal cable. To ensure precise, uniform color, each of our monitors is factory calibrated to deliver an amazing Delta E<2 value for incredible color accuracy. With its impeccable design and technology, and an intuitive user-friendly interface, the VP2776 delivers everything professional content creators demand in a monitor.

Specifications

	More Information
UPC	766907011920
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	2560 x 1440
Display Resolution	QHD (2560x1440)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	20,000,000:1
Light Source	LED
Brightness	400 cd/m2
Colors	1.07B
Color Space Support	8 bit + A-FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
PC Resolution (max)	2560 x 1440
Mac® Resolution (max)	2560 x 1440
USB Type A	2
USB Type B	1
USB Type C	90W x 1, 15W x 1
Micro USB	1
3.5mm Audio Out	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	3W (x2)
Eco Mode (Conserve)	39.4
Eco Mode (optimized)	42.3
Consumption (typical)	45.5
Consumption (max)	49.5
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5

Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Joystick key: Up, Right, Down, Left, Center; Power
On Screen Display	Input Select, Color Model, ViewMode, Audio Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	15 ~ 284.33 KHz
Frequency Vertical	24 ~ 165 Hz
Height Adjust	130 mm / 5.1 in
Swivel	120°
Pivot (Right/Left)	90° / 90°
Tilt (Forward/Back)	3° / 21°
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy
Net (lbs)	18.5
Net Without Stand (lbs)	11.2
Gross (lbs)	28.2
Net (kg)	8.4
Net Without Stand (kg)	5.1
Gross (kg)	12.8
Packaging (in.)	27.2 x 19.9 x 8.9
Physical (in.)	24.2 x 17.69~22.42 x 9.2
Physical Without Stand (in.)	24.2 x 14.3 x 2.1
Packaging (mm)	692.0 x 505.0 x 225.0
Physical (mm)	614.0 x 449.4~569.4 x 234.0
Physical Without Stand (mm)	614.0 x 364.0 x 54.0
Package Contents	VP2776 Display, Power Cable, USB-C Cable, DisplayPort Cable, USB-A/B Cable, Quick Start Guide, ColorPro Wheel, Magnetic Monitor Hood
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907011920



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
888.881.8781
email: salesinfo@viewsonic.com