


M2W - HIGH BRIGHTNESS PORTABLE SMART LED PROJECTOR WITH HARMAN KARDON SPEAKERS

Key Features


- Ultra-portable WXGA (1280x800) LED projector with 1,700 LED lumens and 1.2 throw ratio
- 125% Rec. 709 color accuracy and 3D Blu-ray/3D Ready produces lifelike colors
- Built-in dual Harman Kardon Bluetooth speakers deliver room-filling audio
- Get set up in seconds with auto-focus and horizontal/vertical keystone correction
- Livestream sporting events, binge shows on Netflix or Disney+ by adding a dongle (not included)
- Supports most media players, PCs, Macs, and mobile devices with inputs such as Wi-Fi, HDMI, USB-C



24"-150"
DISPLAY



PANEL



VGA(640 x 480) to 1080P (1920X1080)
RESOLUTION



Product Description

The M2W is a HD ready portable smart LED projector boasting 1,700 LED Lumens, allowing you to enjoy big-screen fun wherever you go without sacrificing brightness. Setup is effortless with instant auto focus and side projection capabilities with H/V keystone and 4 corner correction. Its ultralight portable design and powering on by power bank ability provide you cinematic experiences on the go. Combining perfect images with lifelike colors covering 125% Rec.709 supported by ViewSonic's industry-leading LED technology and exceptional sound quality through Harman Kardon-customized speakers, the M2W delivers a true feast for the eyes and ears. Add even more fun with smart connectivity features such as Wi-Fi for wireless screen mirroring to get your phone up on the big screen, Bluetooth for alternative audio options, and USB-C for direct single-cable streaming from Nintendo® Switch.

Specifications

More Information

UPC	766907016925
Light Source	LED
Display Resolution	WXGA (1280x800)
Display Resolution	1280 x 800
Brightness (Lumens)	1700 LED (700 ANSI)
Screen Size	24"-150"
Throw Distance	0.50m-3.87m (100" @2.58m)
Throw Ratio	1.2

Keystone	Vertical (+/- 40°) / Horizontal (+/- 40°)
Lens	F=1.7, f=11.96mm Fixed Optical Zoom 0.8x-1.0x Digital Zoom
Light Source Life, Normal (hours)	30000
Color Depth	1.07B Color (R/G/B 10bit)
Dynamic Contrast Ratio	30,000,000:1
Aspect Ratio	16:10
Input Lag	37ms
Frequency Horizontal	30K~97KHz
Frequency Vertical	24~85Hz
PC Resolution (max)	VGA(640 x 480) to 1080P (1920X1080)
PC Resolution (min)	640 x 480
Mac® Resolution (max)	VGA(640 x 480) to (1920X1080)
Mac® Resolution (min)	640 x 480
USB 2.0 Type A	1
USB Type C	1
Card Reader	Micro SD
3.5mm Audio Out	1
HDMI 1.4 (with HDCP 1.4)	1
Wifi	5Gn
Bluetooth Audio-in	4.2
Bluetooth Audio-out	4.2
Internal Speakers	3W (x2)
Voltage	Input: 100~240V Output: 19VDC / 4.74A
Consumption (typical)	71W
Stand-by	<0.5W
Physical Controls	Power
On Screen Display	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	0-90%
Kensington Lock Slot	1
Net (lbs)	3lbs
Gross (lbs)	6.9lbs
Net (kg)	1.35kg
Gross (kg)	3.12kg
Packaging (in.)	11.4x11x6.6in

Physical (in.)	8.9x8.9x2.2in
Packaging (mm)	290x280x168mm
Physical (mm)	225x225x57mm
Regulations	FCC, cTUVus, ROHS
Package Contents	Projector, power cable, remote control, Quick Start Guide
Warranty	Three-year limited warranty on parts, labor and backlight
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Portability	Portable

UPC: 766907016925



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 