



VG1656N - 16" PORTABLE IPS MONITOR WITH BUILT IN BATTERY AND WIRELESS CASTING CAPABILITIES

Key Features



16"
DISPLAY



IPS
PANEL



1920 x 1200
RESOLUTION



**PLUG-AND-PLAY
WIRELESS CASTING**

Product Description



VG1656N is a portable 16" 16:10 monitor designed for optimal productivity on the go. A built in battery and wifi casting ability streamline your productivity on the road for a truly wireless set-up, allowing you to extend or mirror your screen on the go. Weighing around 3lbs and about .4" thick, with an intuitive smart cover to both provide versatile viewing options and protect the screen in transit, this portable is optimized to take on the road. The two way power USB-C connectors provide a one-cable solution for multimedia transfer and 60W power charging, either receiving power from a laptop or power bank, or being able to pass through power to the connected device, when the portable is connected to a power source.**

**no two-way power from battery

Specifications

	More Information
UPC	766907030310
Screen Size	16"
Viewable Area (in.)	16"
Panel Type	IPS
Display Resolution	1920 x 1200
Display Resolution	WUXGA (1920x1200)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.2M
Color Space Support	8 bit (6 bit + FRC)
Aspect Ratio	16:10
Response Time (Typical GTG)	9.5ms
Viewing Angles	170º horizontal, 170º vertical
Backlight Life (Hours)	15,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	60Hz
PC Resolution (max)	1920 x 1200
Mac® Resolution (max)	1920 x 1200
USB Type C	60W x 2
Internal Speakers	2-watt (x2)
Consumption (typical)	9.1
Consumption (max)	12
Voltage	DC 5V/9V/12V/15V/20V
Stand-by	0.5
Power Supply	External
Cable Organization	No
Headphone Hook	No
Physical Controls	Up; Down, Power
On Screen Display	Input Select, Power Select, Contrast, Brightness, Volume, Audio Mode, Information, Memory Recall
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%

Frequency Horizontal	15 ~ 82 KHz
Frequency Vertical	50 ~ 75 Hz
Height Adjust	50mm (with smart cover)
Pivot (Right/Left)	0° / 90° (with smart cover)
Tilt (Forward/Back)	20° - 70° (with smart cover)
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC, NRCAN, NOM, Mexico Energy
Net (lbs)	3.1
Net Without Stand (lbs)	1.9
Gross (lbs)	4.6
Net (kg)	1.4
Net Without Stand (kg)	0.8
Gross (kg)	2.1
Packaging (in.)	17.2 x 11.8 x 3.2
Physical (in.)	14.04 x 9.25 x 0.38
Physical Without Stand (in.)	14.04 x 9.25 x 0.38
Packaging (mm)	438 x 300 x 81
Physical (mm)	357 x 235 x 9.6
Physical Without Stand (mm)	357 x 235 x 9.6
Package Contents	LCD Display, USB-C Cable, Power Adaptor, WiFi Transmitter Dongle, Smart Cover, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
Battery Chemistry	Lithium-ion
UPC: 766907030310	



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
 888.881.8781
 email:
salesinfo@viewsonic.com