


## VIEWSONIC 24" 1080P IPS MONITOR WITH HDMI, VGA | VA2414-H


## Key Features

---


- Wide-angle viewing with SuperClear® IPS technology
  - Three-sided frameless design
  - HDMI and VGA connectivity
  - Variable refresh rate technologies deliver smoother images
  - Full HD 1080p resolution
- 



24  
DISPLAY



IPS  
PANEL



1920 x 1080  
RESOLUTION



## Product Description

---

Experience flexible connectivity, wide-angle viewing and stunning screen performance with the ViewSonic® VA2414-H monitor. Enjoy powerful brightness and stunning contrast at nearly any viewing angle thanks to state-of-the-art IPS panel technology in a three-sided frameless display. The VA2414-H features a VGA port, HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. Immerse yourself in a smoother viewing experience with built-in variable refresh rate technology that virtually eliminates screen tearing and stuttering. Change the way you work and play with the ViewSonic VA2414-H monitor today.

## Specifications

---

### More Information

<b>UPC</b>	766907028782
<b>Screen Size</b>	24
<b>Viewable Area (in.)</b>	23.8
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	1920 x 1080
<b>Display Resolution</b>	Full HD (1920x1080)
<b>Static Contrast Ratio</b>	1,300:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2

<b>Colors</b>	16.7M
<b>Color Space Support</b>	6 bit + FRC
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	4ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>Refresh Rate</b>	100Hz
<b>PC Resolution (max)</b>	1920 x 1080
<b>Mac® Resolution (max)</b>	1920 x 1080
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>VGA</b>	1
<b>HDMI 1.4 In</b>	1
<b>Eco Mode (Conserve)</b>	14W
<b>Eco Mode (optimized)</b>	16W
<b>Consumption (typical)</b>	18W
<b>Consumption (max)</b>	24W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.3W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	HDMI 1.4 = 24 ~ 115 KHz, RGB Analog = 24 ~ 86 KHz
<b>Frequency Vertical</b>	HDMI 1.4 = 48 ~100 Hz, RGB Analog = 48 ~75 Hz
<b>Tilt (Forward/Back)</b>	5° / 20°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, RoHS, WEEE
<b>Net (lbs)</b>	7.7
<b>Net Without Stand (lbs)</b>	7.1
<b>Gross (lbs)</b>	10.6
<b>Net (kg)</b>	3.5

<b>Net Without Stand (kg)</b>	3.2
<b>Gross (kg)</b>	4.8
<b>Packaging (in.)</b>	23.7 " (W) x 15.7 " (H) x 5.3 " (D)
<b>Physical (in.)</b>	21.2 " (W) x 15.5 " (H) x 8.1 " (D)
<b>Physical Without Stand (in.)</b>	21.2 " (W) x 12.8 " (H) x 1.7 " (D)
<b>Packaging (mm)</b>	602 mm (W) x 398 mm (H) x 135 mm (D)
<b>Physical (mm)</b>	540 mm (W) x 394 mm (H) x 206 mm (D)
<b>Physical Without Stand (mm)</b>	540 mm (W) x 325 mm (H) x 43 mm (D)
<b>Package Contents</b>	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907028782



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)