


# X1000-4K - ULTRA-SHORT THROW 4K UHD PROJECTOR WITH 2400 LED LUMENS, USB C, BLUETOOTH SPEAKERS AND WI-FI


## Key Features



60 - 150 in. / 1.78 - 3.81 m (diagonal)  
**DISPLAY**



**PANEL**



3840 x 2160  
**RESOLUTION**



## Product Description

Combining stunning true 4K resolution with WiFi-enabled streaming functionality, the ViewSonic® X1000-4K projector delivers a cinematic experience with the ease and convenience of ultra-short throw projection. With a 0.25 ultra-short throw lens, this home theater projector can be placed just inches away from a wall or screen, and project an immersive image up to 100". Whether simply placed on a media stand or mounted to the ceiling, this projector delivers vivid and razor-sharp images thanks to 2,400 lumens of brightness, Rec. 709 compatibility, and stunning true 4K Ultra HD 3840 x 2160 resolution. An integrated 40W Harman Kardon customized soundbar delivers room-filling audio perfect for music and movies. The X1000-4K can also be utilized as a Bluetooth soundbar, or connected to a subwoofer to create a 2.1 audio system.

## Specifications

	More Information
<b>UPC</b>	766907018271
<b>Light Source</b>	LED
<b>Display Resolution</b>	4K (3840x2160)
<b>Display Resolution</b>	3840 x 2160
<b>Brightness (Lumens)</b>	2,400 LED
<b>Screen Size</b>	60 - 150 in. / 1.78 - 3.81 m (diagonal)
<b>Throw Distance</b>	0.159m-0.657m (100"@0.379m)
<b>Throw Ratio</b>	0.25
<b>Keystone</b>	Vertical (+/- 14°)
<b>Lens</b>	Fixed Zoom
<b>Light Source (watt)</b>	RGBB LED
<b>Light Source Life, Normal (hours)</b>	30000

<b>Color Depth</b>	1.07 Billion Colors
<b>Dynamic Contrast Ratio</b>	3,000,000:1
<b>Aspect Ratio</b>	16:10
<b>Input Lag</b>	37ms
<b>Frequency Horizontal</b>	15K-135KHz
<b>Frequency Vertical</b>	23-120Hz
<b>PC Resolution (max)</b>	3840 x 2160
<b>PC Resolution (min)</b>	640 x 480
<b>Mac® Resolution (max)</b>	3840 x 2160
<b>Mac® Resolution (min)</b>	640 x 480
<b>USB 2.0 Type A</b>	4
<b>USB 3.0</b>	2
<b>USB 3.1 Type C</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>SPDIF Audio Out</b>	1
<b>3.5mm Audio Out</b>	2
<b>3.5mm Audio In</b>	1
<b>HDMI 2.0 (with HDCP 2.2)</b>	3
<b>Micro USB</b>	1
<b>Internal Speakers</b>	40W (20W Cube x 2)
<b>Voltage</b>	100-120V+/- 10%, 50/60Hz
<b>Consumption (typical)</b>	200W
<b>Stand-by</b>	<0.5W
<b>Physical Controls</b>	Keypad, Power key
<b>On Screen Display</b>	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
<b>Temperature</b>	32-95° F (0 - 35° C)
<b>Kensington Lock Slot</b>	1
<b>Net (lbs)</b>	20.8
<b>Gross (lbs)</b>	28.8
<b>Net (kg)</b>	9.4
<b>Gross (kg)</b>	13.1
<b>Packaging (in.)</b>	38.3 x 16.1 x 12.0
<b>Physical (in.)</b>	29.8 x 11.5 x 6.7
<b>Packaging (mm)</b>	973.0 X 408.0 X 306.0
<b>Physical (mm)</b>	757.0 x 291.0 x 169.0

<b>Regulations</b>	FCC, cTUVus, ROHS
<b>Package Contents</b>	X1000-4K projector, power cable, USB-C cable, remote control(w/ backlit), Quick Start Guide
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
<b>Classification</b>	Discontinued

UPC: 766907018271



### Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)