


M1X - PORTABLE SMART LED PROJECTOR WITH WI-FI, BLUETOOTH, BUILT-IN BATTERY AND HARMAN KARDON SPEAKERS


Key Features



24 - 100 in. / 0.6 - 2.54 m
DISPLAY



PANEL



VGA(640 x 480) to Full HD(1920 x 1080)
RESOLUTION



Product Description

Take exhilarating entertainment on-the-go with the M1X portable LED projector.

With a weight of less than 2 lbs., this modern portable projector features a patented 3-in-1 smart stand that delivers 360° projection angles and automatically turns on the projector when swiveled. This smart stand also acts as a lens cover that protects the projector when traveling or not in use. From the living room to the great outdoors, the M1X projector immerses users in a stunning multimedia viewing experience with images up to 100" and crisp Harman Kardon speakers. Enjoy an effortless setup experience with features like H/V keystone and automated four-corner adjustment. Binge shows and movies for longer with a built-in battery that lasts up to four hours, or plug in a power bank for all-day entertainment. Whether you use Chromecast, Roku or Apple TV, the M1X lets you connect your favorite streaming devices directly into the USB-A port. Or take advantage of the M1X's versatile connectivity options and connect your mobile device via Bluetooth, WiFi, HDMI or USB-C.

Specifications

More Information	
UPC	766907031195
Light Source	LED
Display Resolution	WVGA (854x480)
Display Resolution	854 x 480
Brightness (Lumens)	150 ANSI
Screen Size	24 - 100 in. / 0.6 - 2.54 m
Throw Distance	2ft-8.7ft
Throw Ratio	1.2
Keystone	Vertical (+/- 40°) / Horizontal (+/- 40°)
Lens	Fixed Zoom
Light Source Life, Normal (hours)	60,000

Color Depth	1.07 Billion Colors
Dynamic Contrast Ratio	120,000:1
Aspect Ratio	16:9
Frequency Horizontal	15K-102KHz
Frequency Vertical	23-120Hz
PC Resolution (max)	VGA(640 x 480) to Full HD(1920 x 1080)
Mac® Resolution (max)	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
USB 2.0 Type A	1 (5V/1.5A) Power, Service
USB Type C	1 (Video input, and Power 5V/2A)
3.5mm Audio Out	1
HDMI 1.4 In	1
Wifi	5 GHz
Bluetooth	Bluetooth 4.2
Internal Speakers	3W (x2)
Voltage	Power adaptor: Input: 100~240V Output: 19VDC / 3.26A Battery: 12000mAh(4000mAh 3.7Vx3)(2.5hrs@Normal, 3hrs@Eco)
Consumption (typical)	35W
Stand-by	<0.5W
Physical Controls	Keypad, Power key
On Screen Display	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
Temperature	32-104° F (0 - 40° C)
Kensington Lock Slot	1
Net (lbs)	1.7
Gross (lbs)	4.1
Net (kg)	0.8
Gross (kg)	1.87
Packaging (in.)	8.7x7.4x4.9
Physical (in.)	6.5x5.4x2.1
Packaging (mm)	220x190x125mm
Physical (mm)	166x138x54mm
Regulations	cTUVus
Package Contents	Projector, power cable, remote control, Quick Start Guide
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Battery Chemistry	Lithium-ion
Portability	Portable

UPC: 766907031195



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 