

# X2-4K - 4K UHD 2150 LUMENS XBOX CERTIFIED 240HZ, 4.2MS GAMING PROJECTOR WITH HDR


## Key Features



60 - 120 in. / 1.5 - 3.0 m  
**DISPLAY**



**PANEL**



3840 x 2160  
**RESOLUTION**



## Product Description

The ViewSonic® X2-4K LED Projector is the world's first projector designed for Xbox consoles.

Featuring image sizes up to an enormous 120", this projector delivers immersive entertainment on the largest Xbox gaming display available today.

The X2-4K projector supports up to 4K Ultra HD resolution and refresh rates up to 240Hz.

Harman Kardon speakers elevate audio soundtracks and help bring a breathtaking aural experience directly to your living room.

After undergoing a highly rigorous testing process, the X2-4K was designated by Microsoft as the world's first "Designed for Xbox" projector.

Play better and watch bigger with the X2-4K Xbox projector today.

| Resolution | Refresh Rate |
|------------|--------------|
| 1080p      | 240Hz        |
| 1440p      | 120Hz        |
| 4K         | 60Hz         |

## Specifications

### More Information

|                            |                            |
|----------------------------|----------------------------|
| <b>UPC</b>                 | 766907027099               |
| <b>Light Source</b>        | LED                        |
| <b>Display Resolution</b>  | 4K (3840x2160)             |
| <b>Display Resolution</b>  | 3840 x 2160                |
| <b>Brightness (Lumens)</b> | 2,000 ANSI                 |
| <b>Screen Size</b>         | 60 - 120 in. / 1.5 - 3.0 m |
| <b>Throw Distance</b>      | 3 - 7 ft (100" @ 5 ft)     |

|  |  |
|--|--|
| <b>Throw Ratio</b>                       | 0.69-0.83  |
| <b>Keystone</b>                          | Vertical (+/- 40°) / Horizontal (+/- 40°)  |
| <b>Lens</b>                              | 1.2x optical zoom  |
| <b>Light Source (watt)</b>               | RGB LED  |
| <b>Light Source Life, Normal (hours)</b> | 60,000   |
| <b>Color Depth</b>                       | 1.07 Billion Colors  |
| <b>Dynamic Contrast Ratio</b>            | 3,000,000:1  |
| <b>Aspect Ratio</b>                      | 16:9   |
| <b>Input Lag</b>                         | 4.2ms  |
| <b>Frequency Horizontal</b>              | 15K~135KHz   |
| <b>Frequency Vertical</b>                | 23-240Hz   |
| <b>PC Resolution (max)</b>               | 3840 x 2160  |
| <b>PC Resolution (min)</b>               | 640 x 480  |
| <b>Mac® Resolution (max)</b>             | 3840 x 2160  |
| <b>Mac® Resolution (min)</b>             | 640 x 480  |
| <b>USB 2.0 Type A</b>                    | 1  |
| <b>USB Type C</b>                        | 1  |
| <b>3.5mm Audio Out</b>                   | 1  |
| <b>Control (RS232)</b>                   | 1  |
| <b>HDMI 1.4 In</b>                       | 1  |
| <b>HDMI 2.0 In</b>                       | 1  |
| <b>Wifi</b>                              | 5Gn  |
| <b>Bluetooth Audio-in</b>                | 1 (BT4.2)  |
| <b>Bluetooth Audio-out</b>               | 1 (BT4.2)  |
| <b>Internal Speakers</b>                 | 6W (x2)  |
| <b>Voltage</b>                           | 100-240V +/- 10%, 50/60Hz AC   |
| <b>Consumption (typical)</b>             | 236W   |
| <b>Stand-by</b>                          | <0.5W  |
| <b>Physical Controls</b>                 | Keypad, Power key  |
| <b>On Screen Display</b>                 | Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality) |
| <b>Temperature</b>                       | 32-104° F (0 - 40° C)  |
| <b>Kensington Lock Slot</b>              | 1  |
| <b>Net (lbs)</b>                         | 7.9  |
| <b>Gross (lbs)</b>                       | 12.1   |
| <b>Net (kg)</b>                          | 3.6  |

|                         |  |
|-------------------------|--|
| <b>Gross (kg)</b>       | 5.5  |
| <b>Packaging (in.)</b>  | 19.3 x 14.8 x 12.3   |
| <b>Physical (in.)</b>   | 13.9 x 9.9 x 4.8   |
| <b>Packaging (mm)</b>   | 490 x 376 x 313  |
| <b>Physical (mm)</b>    | 355 x 251 x 121  |
| <b>Regulations</b>      | cTUVus   |
| <b>Package Contents</b> | X2-4K projector, power cable, remote control, Quick Start Guide                                    |
| <b>Warranty</b>         | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |

UPC: 766907027099



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781 

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com) 