# VIEWSONIC 27" 1080P THIN-BEZEL IPS MONITOR WITH FREESYNC, HDMI, DISPLAYPORT, AND VGA | VX2776-SMHD

Key **Features**

- Versatile Monitor: 27 Inch Full HD (1920x1080p) IPS monitor with thin bezels and 100Hz refresh rate

- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue

- Ultra-Smooth Gaming: FreeSync technology enables fluid and tear-free gameplay

- Optimized View Settings: Offers "Game," "Movie," "Web," "Text," and "Mono" presets

- Flexible Connectivity: The VX2776-SMHD supports laptops, PCs, and Macs with HDMI, DisplayPort, and VGA inputs

- This monitor is not VESA compatible

27
DISPLAY

IPS
PANEL

1920x1080
RESOLUTION

Product **Description**

The ViewSonic® VX2776-smhd is a sleek 27" Full HD monitor with a modern and minimalist style perfect for home use. With SuperClear® IPS Panel technology, this monitor offers best-in-class screen performance with ultra-wide viewing angles. A premium ID includes an ultra-slim profile, unique desktop stand, and a sleek edge-to-edge frameless design, that when combined with vivid 1920x1080 resolution and dual speakers, deliver an immersive viewing experience for home entertainment and multimedia applications. HDMI, DisplayPort, and VGA inputs offer flexible connectivity options for both computing and gaming environments, while ViewSonic's exclusive ViewMode feature provides intuitive presets for optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to minimize eye strain from extended viewing periods. With ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment that combines style and high performance for the home.

Specifications

More Information	
UPC	766907835724
Screen Size	27
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Static Contrast Ratio	1,300:1
Dynamic Contrast Ratio	80M:1

Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Refresh Rate	100Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	13W
Eco Mode (optimized)	17W
Consumption (typical)	21W
Consumption (max)	30W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	1, 2, 3, 4, 5, Power
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	75 x 75 mm
Frequency Horizontal	24~85KHz
Frequency Vertical	48~75Hz
Tilt (Forward/Back)	5º / 22º
Regulations	cTULus, FCC-B, ICES003, Energy Star, EPEAT, CEC, NRCan
Net (lbs)	7.7
Net Without Stand (lbs)	6.8

Net (kg)	3.5
Net Without Stand (kg)	3.1
Packaging (in.)	27.3 x 18 x 5
Physical (in.)	24.11 x 17.28 x 8.23
Physical Without Stand (in.)	24.11 x 14.04 x 1.4
Packaging (mm)	693 x 458 x 127
Physical (mm)	612.3 x 438.93 x 209.01
Physical Without Stand (mm)	612.3 x 356.65 x 35.59
Package Contents	VX2776-SMHD, Power Cable, AC/CD Adapter, HDMI Cable, QuickStart Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907835724