



VIEWSONIC 27" 1440P OLED 0.03MS 240HZ GAMING MONITOR WITH FREESYNC PREMIUM, HDMI 2.1 | VX2738-2K-OLED

Key Features


- **IMMERSIVE QUANTUM DOT-OLED CLARITY:** 27" Quad Dot-OLED gaming monitor with a sleek, thin bezel design
- **ULTRA-FAST PERFORMANCE:** 240Hz refresh rate and 0.03ms GtG response time for lightning-fast gameplay
- **STUNNING COLOR DETAIL:** True 10 bit color depth with HDR10 support for richer color and contrast
- **TEAR-FREE GAMING:** NVIDIA G-SYNC Compatible and AMD FreeSync Premium deliver fluid visuals
- **BURN IN PREVENTION:** Intelligent pixel movement and screen dimming features help protect OLED clarity over time



27"
DISPLAY



QD-OLED Technology
PANEL



2560 x 1440
RESOLUTION



Product Description

Ascend to the apex of the gaming world with the 27" VX2738-2K-OLED monitor. Featuring a 240Hz refresh rate with a 0.03ms GtG response time, this ultra-responsive gaming monitor delivers incredibly smooth visuals while giving gamers the edge they need to win the day. Quantum Dot-OLED technology brings games to life with deep blacks, vibrant color, and striking contrast, making it easier to spot details in dark scenes and stay locked into the action. NVIDIA G-SYNC Compatible and AMD FreeSync Premium support help eliminate screen tearing and stutter for fluid, distraction-free gameplay. Designed for long sessions, the fully adjustable ergonomic stand lets you dial in the perfect viewing position. With HDMI 2.1 and DisplayPort connectivity, this 27" monitor is ready for high performance PCs, consoles, and everything in between.

Specifications

More Information	
UPC	766907039504
Screen Size	27"

Viewable Area (in.)	26.7
Panel Type	QD-OLED Technology
Display Resolution	2560 x 1440
Display Resolution	WQHD (2560x1440)
Static Contrast Ratio	150,000:1
Brightness	200 cd/m2
Colors	1.07B
Color Space Support	10 bit true
Aspect Ratio	16:9
Response Time (Typical GTG)	0.03ms
Viewing Angles	178° horizontal, 178° vertical
Panel Surface	Anti-Reflection type, Hard-coating (2H), Haze N/A
Refresh Rate	240Hz
PC Resolution (max)	2560 x 1440
Mac® Resolution (max)	2560 x 1440
3.5mm Audio Out	1
HDMI 2.1 In	2
DisplayPort	2
Internal Speakers	2W (x2)
Eco Mode (Conserve)	42w
Eco Mode (optimized)	52w
Consumption (typical)	62w
Consumption (max)	63w
Voltage	DC 24V
Stand-by	0.3 W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Joystick key: Up, Right, Down, Left, Center; Power
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 2.1 = 30 ~ 255 KHz / DisplayPort = 30 ~ 297 KHz
Frequency Vertical	HDMI 2.1 & DisplayPort = 48 ~ 240 Hz
Height Adjust	130 mm / 5.1 in

Swivel	-45 ~ 45
Pivot (Right/Left)	90° / 90°
Tilt (Forward/Back)	5° / 20°
Regulations	cTUVus, FCC-B, ICES003, CEC, NRCan
Net (lbs)	11.9
Net Without Stand (lbs)	6.5
Gross (lbs)	17
Net (kg)	5.4
Net Without Stand (kg)	2.9
Gross (kg)	7.7
Packaging (in.)	21.6 x 20 x 6.2
Physical (in.)	24.06 x 15.79~20.9 x 9.84
Physical Without Stand (in.)	24.06 x 13.94 x 2.11
Packaging (mm)	549.0 x 508.0 x 158.0
Physical (mm)	611.11 x 401.1~531.1 x 250.0
Physical Without Stand (mm)	611.11 x 354.1 x 53.59
Package Contents	VX2738-2K-OLED Display, Power Cable, AC/DC Adapter, DisplayPort Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907039504



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com