


# VIEWSONIC 14" WUXGA DUAL SCREEN PORTABLE MONITOR WITH USB-C AND PROTECTIVE CASE | VG1457

## Key Features

---


- **TRIPLE YOUR SCREEN REAL ESTATE ANYWHERE:** Two foldable 14" WUXGA displays deliver full dual-screen productivity in a setup that weighs 2.6 lbs.
  - **ADAPTS TO ANY SCENARIO:** Mirror, Extend, Full-Screen Mode, Share Mode, and Dual Source Mode.
  - **CONNECT A SECOND DEVICE:** Dual USB-C inputs keep two devices running on independent screens at the same time.
  - **STAY POWERED WHEREVER YOU WORK:** 65W two-way USB-C Power Delivery keeps a connected laptop charged while both screens run, or the laptop powers the monitor when no outlet is available.
  - **PLUG AND PLAY CONNECTIVITY:** Connect via USB-C and both screens are live in seconds, with no drivers or software installation required.
- 



14" (x2)  
**DISPLAY**



IPS  
**PANEL**



1920x1200  
**RESOLUTION**



## Product Description

---

When you need to triple your screen real estate without dragging around an entire setup, the VG1457 delivers. ViewSonic's first portable dual-screen monitor packs two 14" WUXGA displays into a foldable unit that weighs 2.6 lbs and fits in any laptop bag. Five viewing modes handle every scenario. Full-Screen mode opens both panels to an expansive 19" viewing space for focused solo work, while Share mode opens both screens outward so two people can view from opposite sides. Mirror and Extend modes with Portrait and Landscape orientations cover the rest. Dual USB-C inputs keep two devices running on independent screens at the same time. With 65W two-way Power Delivery, one cable keeps both monitors running and a laptop charged.

## Specifications

---

### More Information

<b>UPC</b>	766907038675
<b>Screen Size</b>	14" (x2)
<b>Viewable Area (in.)</b>	14" (x2)
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	1920 x 1200

<b>Display Resolution</b>	WUXGA (1920x1200)
<b>Static Contrast Ratio</b>	800:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2
<b>Color Space Support</b>	8 bit (6 bit + FRC)
<b>Aspect Ratio</b>	16:10
<b>Viewing Angles</b>	170° horizontal, 170° vertical
<b>Backlight Life (Hours)</b>	15,000
<b>Panel Surface</b>	Anti-glare, hard-coating (3H)
<b>Refresh Rate</b>	60Hz
<b>PC Resolution (max)</b>	1920x1200
<b>Mac® Resolution (max)</b>	1920x1080
<b>USB Type C</b>	65W x 3
<b>Internal Speakers</b>	2W (x2)
<b>Consumption (typical)</b>	13W
<b>Consumption (max)</b>	18.5W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	External
<b>Cable Organization</b>	No
<b>Physical Controls</b>	Up, Down, Enter, Power
<b>On Screen Display</b>	Input Select, Display Settings, Volume, Color Adjust, Information, All Recall
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>Frequency Horizontal</b>	15 ~ 82 KHz
<b>Frequency Vertical</b>	50 ~ 170 Hz
<b>Swivel</b>	340°
<b>Pivot (Right/Left)</b>	Landscape Mode: 0~180 degrees, Portrait Mode: 0~180 degrees, Stand Hinge: up to 90 degrees
<b>Tilt (Forward/Back)</b>	15° / 45°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC
<b>Net (lbs)</b>	2.6
<b>Net Without Stand (lbs)</b>	2.6
<b>Gross (lbs)</b>	4.4
<b>Net (kg)</b>	1.2
<b>Net Without Stand (kg)</b>	1.2

<b>Gross (kg)</b>	2.0
<b>Packaging (in.)</b>	15.4" x 11.3" x 3"
<b>Physical (in.)</b>	16.77" x 12.35" x 0.59"
<b>Physical Without Stand (in.)</b>	12.21" x 8.37" x 0.98"
<b>Packaging (mm)</b>	391mm x 287mm x 77mm
<b>Physical (mm)</b>	425.9mm x 313.8mm x 15mm
<b>Physical Without Stand (mm)</b>	312.8mm x 212.65mm x 22.5mm
<b>Package Contents</b>	LCD Display, AC/DC Adapter, 2x USB Type C Cable, Protective Case, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907038675



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)