

TD1655 - 15.6" PORTABLE 1080P IPS TOUCH MONITOR WITH 60W USB C AND MINI-HDMI

Key Features



15.6"
DISPLAY



IPS
PANEL



1920 X 1080
RESOLUTION



ULTRA-PORTABLE DESIGN
Work and entertainment on-the-go

Product Description



The ViewSonic® TD1655 is a portable 15.6" touch display designed for productivity on the go. Built for business travelers, remote workers, and digital nomads, the TD1655 can serve as a complementary touchscreen to a laptop or tablet for boosted productivity. With an anti-glare screen and Full HD 1080p resolution, this touch display delivers a crystal-clear viewing experience so users can see more and do more for a more efficient workflow. In addition, with a 10-point projective capacitive touchscreen and included stylus pen, the TD1655 delivers a smooth and natural writing experience and streamlined navigation with every tap, pinch, and swipe. A USB Type-C port enables quick and easy transmission of video, and audio. A second USB Type-C port also delivers up to 60W of two-way power: a connected laptop can power the TD1655, OR the TD1655 can power a connected laptop via a USB-C power bank or AC adapter and outlet. Measuring less than an inch thick and weighing only two pounds, the ultra-slim TD1655 perfectly fits into any bag, briefcase, or backpack so you can work wherever life takes you.

Specifications

	More Information
UPC	766907010145
Screen Size	15.6"
Viewable Area (in.)	15.6
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	800:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	262K
Color Space Support	6 bit
Aspect Ratio	16:9
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	6.5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	15,000
Panel Surface	Glossy, Hardness (6H)
PC Resolution (max)	1920 X 1080
Mac® Resolution (max)	1920 X 1080
USB Type C	60W x 2
Mini HDMI	1
Touch Technology	Projective Capacitive
Touch Points	10-Point Touch
Internal Speakers	0.8W (x2)
Eco Mode (Conserve)	6.5W
Eco Mode (optimized)	7.6W
Consumption (typical)	8.6W
Consumption (max)	10.5W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.3W
Power Supply	Wall type (detachable type-C)
Cable Organization	No

Physical Controls	Up, Down, Left, Right, Power (Push In)
On Screen Display	Image Adjust, Contrast, Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
Frequency Horizontal	15 ~ 82KHz
Frequency Vertical	50 ~ 75Hz
Digital Sync	TMDS for miniHDMI (v1.4), Micro-Packet for USB-type C
Tilt (Forward/Back)	0° / 60°
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Bronze, CEC, MX-CoC, Mexico Energy, NRCan
Net (lbs)	2.1
Net Without Stand (lbs)	2.1
Gross (lbs)	5.1
Net (kg)	1.0
Net Without Stand (kg)	1.0
Gross (kg)	2.3
Packaging (in.)	17.3 x 11.3 x 3.5
Physical (in.)	14.0 x 8.8 x 0.6
Physical Without Stand (in.)	14.0 x 8.8 x 0.6
Packaging (mm)	440.0 x 288.0 x 89.0
Physical (mm)	355.0 x 223.0 x 16.0
Physical Without Stand (mm)	355.0 x 223.0 x 16.0
Package Contents	TD1655 Display, USB type-C to type-C cable, USB type-C to type-A cable, mini HDMI to HDMI Cable (v1.4), Power Adapter, Passive Touch Pen, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

UPC: 766907010145



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com