



## TD2430 - 24" 1080P 10-POINT MULTI TOUCH MONITOR WITH HDMI, DP, AND VGA

## Key Features

**24  
DISPLAY****MVA  
PANEL****1920 x 1080  
RESOLUTION**

## Product Description

Laid flat or angled for customized comfort, this display delivers touchscreen versatility to the max. Offering fantastic flexibility for retail, education, or business settings, the ViewSonic® TD2430 is a 24" (23.6" viewable) Full HD display with 10-point multi-touch functionality. Delivering adjustable positioning, wide-angle viewing, and a durable design, the TD2430 has everything to accommodate your unique needs. Adding even more convenience, cross-compatibility with a wide range of operating systems includes Windows 10, and certain Android and Linux versions.\* With a sleek edge-to-edge screen and frameless bezel, this intuitive touchscreen performs like your favorite tablet or smartphone to deliver a highly accurate, ultra-responsive touch experience ideal for interactivity in public environments, kiosk and wayfinding applications, classroom settings, and more. \*Supports Windows 7/8/10, Linux 2.6.38 or later, and Android 4.0 or later.

## Specifications

### More Information

<b>UPC</b>	766907904512
<b>Screen Size</b>	24
<b>Viewable Area (in.)</b>	23.6
<b>Panel Type</b>	MVA
<b>Display Resolution</b>	1920 x 1080
<b>Static Contrast Ratio</b>	3,000:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2
<b>Colors</b>	16.7M
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	25ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical

<b>Backlight Life (Hours)</b>	40,000
<b>Panel Surface</b>	7H Scratch Resistant Surface Hardness
<b>PC Resolution (max)</b>	1920 x 1080
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>VGA</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>Power in</b>	DC 12V / 4.0A
<b>Touch Technology</b>	Projective Capacitive
<b>Touch Points</b>	10-Point Touch
<b>Internal Speakers</b>	2.5W (x2)
<b>Eco Mode (Conserve)</b>	19W
<b>Eco Mode (optimized)</b>	22W
<b>Consumption (typical)</b>	25W
<b>Consumption (max)</b>	28W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1, 2, Up, Down, Power
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	Analog: 24 ~ 82Hz, Digital: 15 ~ 82Hz
<b>Frequency Vertical</b>	Analog: 50 ~ 75Hz, Digital: 24 ~ 75Hz
<b>Analog Sync</b>	Separate Sync / Composite Sync / Sync on Green, TMDS, PCI-E
<b>Tilt (Forward/Back)</b>	20° - 53°, 90° (Flat)
<b>Regulations</b>	cTUVus, FCC-B w/ ICES003, DOE Energy Star 7.0, DOE EPEAT, TUV-MX-CoC, Mexico Energy, NRCan
<b>Net (lbs)</b>	12.2
<b>Gross (lbs)</b>	15.6
<b>Net Without Stand (kg)</b>	5.5
<b>Gross (kg)</b>	7.1
<b>Packaging (in.)</b>	25.3 x 17.1 x 5.5

**Physical (in.)** 22.6 x 13.9 x 1.9

**Packaging (mm)** 643 x 435 x 140

**Physical (mm)** 573 x 353 x 47

**Package Contents** LCD Display, AC/DC Adapter, Power Cable, HDMI Cable, USB3.0 Upstream Cable , Audio Cable , Quick Start Guide, ViewSonic Wizard CD-ROM

**Recycle/Disposal** Please dispose of in accordance with local, state or federal laws.

**Warranty** \*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

UPC: 766907904512



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781 

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com) 