



# IFP8650-E1 - 86" 4K TOUCH ENABLED VIEWBOARD SMART DISPLAY WITH WIFI ADAPTER AND FIXED WALL MOUNT

## Key Features


- **ULTRA HD RESOLUTION:** 86 Inch 4K Ultra HD (3840x2160p) interactive display
- **ADVANCED TOUCH:** 40-point multi-touch lets users write on the display with their fingers and stylus pens
- **INTEGRATED SOFTWARE:** The myViewBoard suite includes Whiteboard, ViewBoard Cast, and more for better engagement
- **BETTER SOUND:** Built-in 40W stereo soundbar delivers optimal sound
- **FLEXIBLE CONNECTIVITY:** Powerful quad-core processor and versatile connectivity options with 65W PD USB-C (HDMI, RJ45, and USB ports)
- **EVERYTHING TO GET STARTED:** This bundle includes the interactive display, wireless AC adapter and wall mount
- **REMOTE MANAGEMENT:** Schedule updates and monitor device status with the built-in myViewBoard® Manager software
- **PEACE OF MIND:** Industry-leading 3-year standard warranty with optional extensions and robust support services



86  
DISPLAY



PANEL



RESOLUTION



## Product Description

Ideal for education environments, this all-in-one ViewBoard Bundle includes a 86" ViewBoard IFP8650 4K interactive flat panel, a wireless AC adapter, and a wall mount.

## Specifications

### More Information

|                            |   |
|----------------------------|---|
| <b>UPC</b>                 | 766907002584  |
| <b>OS</b>                  | Android 11  |
| <b>GPU</b>                 | ARM Mali450 MP4                                     |
| <b>CPU</b>                 | Quad core ARM Cortex-A73+Quad core ARM Cortex-A53   |
| <b>CPU Processor Speed</b> | 1.2GHz  |
| <b>Memory</b>              | 8GB DDR4  |
| <b>Storage</b>             | 64GB  |
| <b>Built-in Software</b>   | myViewBoard, Chromium browser, Zoom, ViewBoard Cast |
| <b>Internal Speakers</b>   | 12W (x2)  |

|                                  |  |
|----------------------------------|--|
| <b>Subwoofer</b>                 | 16W (x1)   |
| <b>HDMI 2.0 In</b>               | 3  |
| <b>HDMI Out</b>                  | 1  |
| <b>USB 3.0</b>                   | 4  |
| <b>USB 2.0</b>                   | 2  |
| <b>USB Type C</b>                | 65W x 1  |
| <b>Slot-in PC Slot</b>           | 1  |
| <b>USB B Touch Port</b>          | 2  |
| <b>RS232</b>                     | 1  |
| <b>Ethernet LAN (RJ45)</b>       | 2  |
| <b>WIFI Module Slot</b>          | 1  |
| <b>Voltage</b>                   | 100-240 VAC  |
| <b>Consumption (typical)</b>     | 175W   |
| <b>Stand-by</b>                  | <0.5W  |
| <b>On Screen Display</b>         | Input, Volume, Backlight, Audio, Screen, Display, Adjust   |
| <b>Remote Control</b>            | Volume, Channel, Source, Mute, Back, Input, Menu   |
| <b>Temperature</b>               | 32-104° F (0 - 40° C)  |
| <b>Humidity (non-condensing)</b> | 10-90%   |
| <b>Touch Technology</b>          | Infrared   |
| <b>Touch Points</b>              | Windows: 40, Android: 20   |
| <b>Tip Detection</b>             | Dual tips, 3mm and 8mm   |
| <b>Net (lbs)</b>                 | 186.1  |
| <b>Gross (lbs)</b>               | 247.1  |
| <b>Net (kg)</b>                  | 84.4   |
| <b>Gross (kg)</b>                | 112.1  |
| <b>Packaging (in.)</b>           | 75.3 x 48.2 x 13.6   |
| <b>Physical (in.)</b>            | 69.4 x 41.0 x 5.7  |
| <b>Packaging (mm)</b>            | 2211.0 x 1380.0 x 645.0  |
| <b>Physical (mm)</b>             | 1988.0 x 1186.0 x 146.0  |
| <b>VESA Compatible</b>           | 800 x 600 mm   |
| <b>Warranty</b>                  | 3-year limited warranty on parts, labor and backlight, onsite warranty   |
| <b>Recycle/Disposal</b>          | Please dispose of in accordance with local, state or federal laws.   |
| <b>Package Contents</b>          | IFP8650 Display, wireless AC adapter, WMK-047-2, stylus pen x 2, power cable, remote control with batteries, ViewSonic Wizard CD (User Guide), Quick Start Guide, USB cable, camera bracket, HDMI cable, power cords |
| <b>Regulations</b>               | cTUVus, FCC, ENERGY STAR 7.0, Mexico Energy, CE, CB, RoHS, ErP, WEEE   |
| <b>Ethernet LAN</b>              | (10/100/1000M) (Android 10/100, PC 10/100/1000)  |

|                                    |                                |
|------------------------------------|--------------------------------|
| <b>Display Type</b>                | LCD                            |
| <b>Screen Size</b>                 | 86                             |
| <b>Viewable Area (in.)</b>         | 86                             |
| <b>Light Source</b>                | LED                            |
| <b>Display Resolution</b>          | 3840 x 2160                    |
| <b>Aspect Ratio</b>                | 16:9                           |
| <b>Static Contrast Ratio</b>       | 1,200:1                        |
| <b>Backlight Life (Hours)</b>      | 50,000                         |
| <b>Brightness</b>                  | 350 cd/m2                      |
| <b>Response Time (Typical GTG)</b> | 8ms                            |
| <b>Bezel Width (mm)</b>            | 17.5/46/17.5/17.5              |
| <b>Viewing Angles</b>              | 178° horizontal, 178° vertical |
| <b>Panel Surface</b>               | Anti-glare 7H tempered glass   |

UPC: 766907002584



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)