




## ID1655 - VIEWBOARD TOUCH DISPLAY

## Key Features

- Works with myViewBoard Software
- Ultra-Portable Design
- Advanced Touch Capabilities and Screen Performance
- 2-Way Power with USB Type-C
- Full-HD 1080p resolution
- Frameless Design
- Built-in stand

15.6  
DISPLAYTN  
PANEL1920x1080  
RESOLUTION

## Product Description

The ViewSonic® ID1655 ViewBoard Touch Display is part of ViewSonic's full line of interactive devices designed for a variety of education scenarios including hybrid teaching at home or in the classroom. The ID1655 ViewBoard Touch Display is a portable 15.6" touch display that can serve as a complementary touchscreen to a laptop or tablet for more effective lessons. With an anti-glare screen and Full HD 1080p resolution, this touch display delivers a crystal-clear viewing experience so users can see more and do more for a more efficient workflow. In addition, with a 10-point projective capacitive touchscreen and included stylus pen, the ID1655 ViewBoard Touch Display delivers a smooth and natural writing experience and streamlined navigation with every tap, pinch, and swipe. Two USB-C ports enable quick and easy transmission of video, audio, and data. The USB-C ports also deliver up to 60W of two-way power: a connected laptop can power the ID1655 ViewBoard Touch Display, OR the ID1655 can power a connected laptop via a USB-C power bank or AC adapter and outlet. Measuring less than an inch thick and weighing only two pounds, the ultra-slim ID1655 perfectly fits into any bag, briefcase, or backpack so you can teach from wherever you are.

## Specifications

## More Information

<b>UPC</b>	766907010633
<b>Screen Size</b>	15.6
<b>Viewable Area (in.)</b>	15.6
<b>Panel Type</b>	TN
<b>Display Resolution</b>	1920 x 1080
<b>Display Resolution</b>	Full HD (1920x1080)

<b>Static Contrast Ratio</b>	800:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m <sup>2</sup>
<b>Colors</b>	262K
<b>Color Space Support</b>	6 bit
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	14ms
<b>Response Time (GTG w/OD)</b>	6.5ms
<b>Viewing Angles</b>	170° horizontal, 170° vertical
<b>Backlight Life (Hours)</b>	15,000
<b>Panel Surface</b>	Glossy, Hardness (6H)
<b>PC Resolution (max)</b>	1920x1080
<b>Mac® Resolution (max)</b>	1920x1080
<b>USB 3.2 Gen 1 Type C</b>	2
<b>Mini HDMI 1.4</b>	1
<b>Touch Technology</b>	Projective Capacitive
<b>Touch Points</b>	10-Point Touch
<b>Internal Speakers</b>	0.8W (x2)
<b>Eco Mode (Conserve)</b>	6.0W
<b>Eco Mode (optimized)</b>	6.9W
<b>Consumption (typical)</b>	8.6W
<b>Consumption (max)</b>	10.5W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.3W
<b>Power Supply</b>	Wall type (detachable type-C)
<b>Cable Organization</b>	No
<b>Physical Controls</b>	1, 2, 3, 4, 5 (Power)
<b>On Screen Display</b>	Image Adjust, Contrast, Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>Frequency Horizontal</b>	15 ~ 82KHz
<b>Frequency Vertical</b>	50 ~ 75Hz
<b>Digital Sync</b>	TMDS for miniHDMI (v1.4), Micro-Packet for USB-Type C
<b>Tilt (Forward/Back)</b>	0° / 60°

<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT, CEC, MX-CoC, Mexico Energy
<b>Net (lbs)</b>	2.1
<b>Net Without Stand (lbs)</b>	2.1
<b>Gross (lbs)</b>	5.1
<b>Net (kg)</b>	1.0
<b>Net Without Stand (kg)</b>	1.0
<b>Gross (kg)</b>	2.3
<b>Packaging (in.)</b>	17.3 x 11.3 x 3.5
<b>Physical (in.)</b>	14.0 x 8.8 x 0.6
<b>Physical Without Stand (in.)</b>	14.0 x 8.8 x 0.6
<b>Packaging (mm)</b>	440.0 x 288.0 x 89.0
<b>Physical (mm)</b>	355.0 x 223.0 x 16.0
<b>Physical Without Stand (mm)</b>	355.0 x 223.0 x 16.0
<b>Package Contents</b>	1 x LCD Display, 1 x USB type-C to type-C cable, 1 x USB type-C to type-A cable, 1 x mini HDMI cable, 1 x Power Adapter, 1 x Passive Touch Pen, 1 x Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907010633



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)