


## VIEWSONIC 27" COLORPRO™ 1440P IPS MONITOR WITH 90W USB-C, RJ45, SRGB, AND DAISY CHAIN | VP2768A

## Key Features

- 27 Inch QHD (2560x1440p) IPS monitor with thin bezels and 60Hz refresh rate
- Ethernet RJ45 and USB-C connectivity for fast data, audio and video transfer, 90W charging over one cable
- Advanced ergonomics (tilt, swivel, pivot and height) for all-day comfort
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- 100% sRGB, EBU, SMPTE-C, Rec. 709, and DICOM-SIM color spaces and Delta E<2 accuracy
- This monitor has been certified as capable of reproducing Pantone Matching System colors
- Hardware calibration ensures that the color displayed perfectly matches the original file
- The VP2768a supports laptops, PCs, Macs and more with USB-C, RJ45, USB, HDMI, DP (DaisyChain enabled) inputs

27  
DISPLAYIPS  
PANEL2560 x 1440  
RESOLUTION

## Product Description

The ViewSonic® VP2768a is a 27" Quad HD monitor that delivers color accuracy crucial for professional applications. With a sleek frameless design and edge-to-edge SuperClear® IPS panel, this monitor provides an incredible viewing experience ideal for content creation and enterprise workstations. USB-C connectivity helps to simply your workspace by delivering audio, video, data and up to 90W of power delivery over a single universal cable. In addition, DisplayPort out enables seamless daisy chaining to a second monitor. To ensure precise, uniform color, each of our monitors is factory calibrated to deliver an amazing Delta E<2 value for incredible color accuracy. An integrated color uniformity function ensures consistent chromaticity across the screen, while a 14-bit 3D look-up table generates a stunningly smooth palette of 4.39 trillion colors. Add to that 6-axis color adjustment functionality, and this monitor provides the ultimate color processing capability for professional applications.

## Specifications

### More Information

<b>UPC</b>	766907008968
<b>Screen Size</b>	27
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	2560 x 1440
<b>Display Resolution</b>	QHD (2560x1440)

<b>Static Contrast Ratio</b>	1,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	350 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	8 bits
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>PC Resolution (max)</b>	2560 x 1440
<b>Mac® Resolution (max)</b>	2560 x 1440
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>USB Type C</b>	1
<b>3.5mm Audio Out</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>HDMI 1.4 In</b>	2
<b>DisplayPort</b>	1
<b>DisplayPort Out</b>	1
<b>Eco Mode (Conserve)</b>	22.5W
<b>Eco Mode (optimized)</b>	26.5W
<b>Consumption (typical)</b>	32W
<b>Consumption (max)</b>	35W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.3W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1,2,3,4,5,6 (Power)
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	15 ~ 90 KHz
<b>Frequency Vertical</b>	24 ~ 75 Hz

<b>Height Adjust</b>	130 mm / 5.1 in
<b>Swivel</b>	60°
<b>Tilt (Forward/Back)</b>	6° / 21°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, MX-CoC, Mexico Energy, CEC
<b>Net (lbs)</b>	15.2
<b>Net Without Stand (lbs)</b>	9.7
<b>Gross (lbs)</b>	21.2
<b>Net (kg)</b>	6.9
<b>Net Without Stand (kg)</b>	4.4
<b>Gross (kg)</b>	9.6
<b>Packaging (in.)</b>	28.3 x 18.1 x 10.6
<b>Physical (in.)</b>	24.1 x 16.1 x 8.5
<b>Physical Without Stand (in.)</b>	24.1 x 13.9 x 2.0
<b>Packaging (mm)</b>	720.0 x 460.0 x 268.0
<b>Physical (mm)</b>	613.0 x 410.0 x 215.0
<b>Physical Without Stand (mm)</b>	613.0 x 353.0 x 50.0
<b>Package Contents</b>	VP2768a Display, Power Cable, DP to DP Cable, USB Type C cable, USB Type B Uplink Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907008968



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)