



## IFP4320 - 43" 4K TOUCH ENABLED VIEWBOARD SMART DISPLAY

### Key Features


- **ULTRA HD RESOLUTION:** 43 Inch 4K Ultra HD (3840x2160p) interactive display
- **ADVANCED TOUCH:** Multiple users may write or draw on the screen with their fingers
- **INTEGRATED SOFTWARE:** The myViewBoard suite includes Whiteboard, ViewBoard Cast, and more for better engagement
- **FLEXIBLE CONNECTIVITY:** Powerful quad-core processor and versatile connectivity options (HDMI, DisplayPort, DVI-D, RJ45, and USB-C ports)
- **BUILT-IN OS:** Based on Android 8.0 and is compatible with Windows and Android devices only
- **REMOTE MANAGEMENT:** Schedule updates and monitor device status with the built-in myViewBoard® Manager software
- **PEACE OF MIND:** Industry-leading 3-year standard warranty with optional extensions and robust support services



43  
DISPLAY



PANEL



RESOLUTION

### Product Description

Featuring 4K Ultra HD resolution and an advanced, next-generation touchscreen, the ViewSonic® ViewBoard® IFP4320 is perfect for small collaboration spaces in hybrid work environments. With a 43" high-accuracy in-cell touchscreen, this ViewBoard display delivers a smooth handwriting and annotation experience ideal for home offices, workplace cubicles, huddle spaces and more. Integrated myViewBoard® annotation software and ViewBoard Cast streaming software, allow users to remotely collaborate with team members in any location. What's more, USB-C connectivity allows for quick and easy connection to laptops and PCs so that the IFP4320 can function as a primary touchscreen device.

### Specifications

More Information	
<b>UPC</b>	766907010206
<b>OS</b>	ViewBoard OS based on Android 8.0
<b>GPU</b>	MaliG51 MP2
<b>CPU</b>	ARM Quad Core A73+A53
<b>Memory</b>	3GB LPDDR4
<b>Storage</b>	16GB eMMC
<b>Internal Speakers</b>	10W (x2)
<b>HDMI 2.0 In</b>	1

<b>DVI-D</b>	1
<b>DisplayPort</b>	1
<b>Composite RCA</b>	1
<b>USB 2.0 Type B</b>	1
<b>USB 3.1 Type C</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>Voltage</b>	100-240 VAC
<b>Consumption (max)</b>	150W
<b>Consumption (typical)</b>	120W
<b>Stand-by</b>	<0.5W
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-80%
<b>Touch Technology</b>	In-cell
<b>Touch Points</b>	Android: 10
<b>Tip Detection</b>	2.5mm
<b>Other</b>	Palm rejection, objection awareness
<b>Net (lbs)</b>	39.3
<b>Gross (lbs)</b>	49.49
<b>Net (kg)</b>	17.83
<b>Gross (kg)</b>	22.45
<b>Packaging (in.)</b>	47.2 x 30.9 x 8.3
<b>Physical (in.)</b>	38.1 x 21.9 x 2.2
<b>Packaging (mm)</b>	1200.0 x 785.0 x 210.0
<b>Physical (mm)</b>	967.0 x 558.1 x 55.7
<b>VESA Compatible</b>	400 x 400 mm
<b>Screw Size</b>	M6
<b>Warranty</b>	*Final Sale. Sold AS-IS with no warranty on parts or labor. 30-day DOA policy for full refund.
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Package Contents</b>	IFP4320 display, power cable, HDMI cable, USB-C, USB-A/B (for touch), AV cable, remote control with batteries, Camera plate, M8 screw x 8, legs, Quick Start Guide
<b>Regulations</b>	cTUVus, FCC, ENERGY STAR, EPEAT Certified, Mexico Energy, CE, CB, RoHS, ErP, WEEE
<b>Ethernet LAN</b>	N/A
<b>Wifi</b>	Optional VSB050 wireless adapter
<b>Display Type</b>	LCD
<b>Screen Size</b>	43
<b>Viewable Area (in.)</b>	42.51

<b>Light Source</b>	LED
<b>Display Resolution</b>	3840 x 2160
<b>Refresh Rate</b>	60Hz
<b>Aspect Ratio</b>	16:9
<b>Static Contrast Ratio</b>	1,000:1
<b>Backlight Life (Hours)</b>	30,000
<b>Brightness</b>	350 cd/m2
<b>Response Time (Typical GTG)</b>	9ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Panel Surface</b>	Anti-glare

UPC: 766907010206



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781 

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com) 