



VIEWSONIC 24" DUAL PACK HEAD-ONLY 1080P IPS DOCKING MONITORS WITH USB-C | VG2455_56A_H2

Key Features

- 24 Inch Full HD (1920x1080p) IPS monitors with thin bezels and 60Hz refresh rate
- Sold as a dual pack without monitor stands (two different monitor heads: VG2456a_H and VG2455_H)
- Ethernet RJ45 (VG2456a_H) and USB-C connectivity for fast data, audio and video transfer, 90W charging
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Supports PC, Mac and more with USB-C, HDMI, and DisplayPort, USB and VGA inputs

24
DISPLAYIPS
PANEL1920 x 1080
RESOLUTION

Product Description

Designed for the modern day office, the ViewSonic® VG2455_56a_H2 dual-monitor pack delivers an efficient single-cable, dual-monitor solution. This pack includes a 24" VG2455_H monitor and a 24" VG2456a_H monitor. The VG2456a_H delivers reliable and flexible network connectivity with an integrated gigabit Ethernet port, while USB-C connectivity makes setup a breeze and provides up to 90W power delivery to your laptop. With USB-C and DisplayPort out, the VG2456a_H can be easily daisy chained to the VG2455_H for a productivity-boosting setup that lets you work smarter, faster and more efficiently. What's more, SuperClear® IPS panel technology delivers wide-angle viewing and incredibly vivid colors. Sold as a dual set of monitors without monitor stands, this solution offers easy dual-screen installation with standard VESA-compatible mounting, while biodegradable packaging helps to minimize recycling costs and waste.

Specifications

More Information

| | |
|-------------------------------|---------------------|
| UPC | 766907013450 |
| Screen Size | 24 |
| Viewable Area (in.) | 23.8 |
| Panel Type | IPS |
| Display Resolution | 1920 x 1080 |
| Display Resolution | Full HD (1920x1080) |
| Static Contrast Ratio | 1,000:1 |
| Dynamic Contrast Ratio | 50,000,000:1 |

| | |
|-------------------------------------|--|
| Light Source | LED |
| Brightness | 250 cd/m ² |
| Colors | 16.7M |
| Color Space Support | 6 bit + A-FRC |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 5ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-Glare type, Hard-coating (3H), Haze 25% |
| PC Resolution (max) | 1920 x 1080 |
| Mac® Resolution (max) | 1920 x 1080 |
| Internal Speakers | 2W (x2) |
| Eco Mode (Conserve) | VG2455_H: 13.4W, VG2456a_H: 17.9W |
| Eco Mode (optimized) | VG2455_H: 15.9W, VG2456a_H: 20.7W |
| Consumption (typical) | VG2455_H: 19.3W, VG2456a_H: 24.5W |
| Consumption (max) | VG2455_H: 45.1W, VG2456a_H: 48.5W |
| Voltage | AC 100-240V (universal), 50-60Hz |
| Stand-by | 0.5W |
| Power Supply | Internal |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| On Screen Display | Key 1 (eye), Key 2, Key 3, Key 4, Key 5, Key 6 (power) |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | VG2455_H: HDMI (v1.4): 15 ~ 82 KHz, DisplayPort: 15 ~ 82 KHz, USB Type C: 15 ~ 82 KHz. VG2456a_H: HDMI (v1.4): 15 ~ 82 KHz, DisplayPort: 15 ~ 82 KHz, USB Type C: 15 ~ 82 KHz. |
| Frequency Vertical | VG2456a_H: HDMI (v1.4): 24 ~ 75 Hz, DisplayPort: 24 ~ 75 Hz, USB Type C: 24 ~ 75 Hz. VG2456a_H: HDMI (v1.4): 50 ~ 75 Hz, DisplayPort: 50 ~ 75 Hz, USB Type C: 50 ~ 75 Hz. |
| Regulations | Energy Star 8.0, EPEAT Silver |
| Net Without Stand (lbs) | 17.4 |
| Gross (lbs) | 24.0 |
| Net Without Stand (kg) | 7.9 |
| Gross (kg) | 10.9 |
| Packaging (in.) | 24.4 x 10.2 x 16.4 |
| Physical Without Stand (in.) | 21.2 x 12.6 x 2.0 |

| | |
|------------------------------------|--|
| Packaging (mm) | 620.0 x 260.0 x 417.0 |
| Physical Without Stand (mm) | 539.0 x 320.0 x 52.0 |
| Package Contents | LCD Displays (VG2455_H, VG2456a_H) Power Cable x2, DisplayPort Cable, USB Type C cable, USB A/B Cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |

UPC: 766907013450



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 