


VIEWSONIC 15.6" PORTABLE 1080P IPS MONITOR WITH USB-C AND MINI-HDMI | VA1655

Key Features


- 15.6 Inch Full HD (1920x1080p) IPS portable monitor with 60Hz refresh rate
- With a weight of 1.5 lbs and a thickness of 0.7 in, this portable monitor slips easily into backpacks and purses
- USB-C connectivity for fast data, audio and video transfer, and 60W charging over one cable
- Comes with protective sleeve and a built-in stand for orientation in both portrait and landscape modes
- The VA1655 supports laptops, PCs, and Apple/Mac operating systems and more with Mini-HDMI, and USB-C inputs



16"
DISPLAY



IPS
PANEL



1920x1080
RESOLUTION



Product Description



The ViewSonic® VA1655 is a portable 15.6" monitor designed for productivity on the go. Built for business travelers, remote workers, and digital nomads, the VA1655 can serve as a complementary screen to a laptop or tablet for boosted productivity. With an anti-glare screen and Full HD 1080p resolution, this monitor delivers a crystal-clear viewing experience so users can see more and do more for a more efficient workflow. A USB Type-C port enables quick and easy transmission of video, and audio. A second USB Type-C port also delivers two-way power: a connected laptop can power the VA1655, OR the VA1655 can power a connected laptop via a USB-C power bank or AC adapter and outlet. Measuring less than an inch thick and weighing under two pounds, the ultra-slim VA1655 perfectly fits into any bag, briefcase, or backpack so you can work wherever life takes you.

Specifications

	More Information
UPC	766907013795
Screen Size	16"
Viewable Area (in.)	15.6
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	800:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.2M
Color Space Support	8 bit (6 bit + FRC)
Aspect Ratio	16:9
Response Time (GTG w/OD)	7ms
Viewing Angles	170° horizontal, 170° vertical
Backlight Life (Hours)	15,000
Panel Surface	Anti-glare, Hard coating (3H)
Refresh Rate	60Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
USB Type C	60W x 2
3.5mm Audio Out	1
Mini HDMI 1.4	1
Internal Speakers	0.8W (x2)
Eco Mode (Conserve)	5.1W
Eco Mode (optimized)	6.0W
Consumption (typical)	7.0W
Consumption (max)	7.3W
Stand-by	0.3W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Up, Right, Down, Left, Power

On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
Frequency Horizontal	mini HDMI (v1.4): 15 ~ 82KHz, Type C: 24 ~ 82KHz
Frequency Vertical	mini HDMI (v1.4): 50 ~ 75Hz, Type C: 50 ~ 75Hz
Tilt (Forward/Back)	30° / 53°
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Bronze, CEC, NRCAN, NOM, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, UKCA, BSMI, VCCI, PSE
Net (lbs)	1.5
Gross (lbs)	3.7
Net (kg)	0.7
Gross (kg)	1.7
Packaging (in.)	17.1 x 15.4 x 3.5
Physical (in.)	14.1 x 8.9 x 0.7
Packaging (mm)	434.0 x 391.0 x 88.0
Physical (mm)	359.0 x 227.0 x 17.0
Package Contents	VA1655 x1, mini HDMI to HDMI Cable (v1.4; Male-Male) x1, USB Type-C Cable (Male-Male) x1, Quick Start Guide x1, Sleeve case x1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907013795



Contact Sales
ViewSonic.com
 888.881.8781
 email:
salesinfo@viewsonic.com