


XG341C-2K - 34" 1440P 1MS 200HZ 21:9 CURVED GAMING MONITOR FREESYNC PREMIUM PRO, MINI LED, HDMI 2.1, USB-C, HDR1400

Key Features


- 34 Inch ultrawide 21:9 WQHD (3440x1440p) 1500R curved gaming monitor with 720-nits and thin bezels
- 200Hz (OC) refresh rate and 1ms (MPRT) response time for ultimate gaming experience
- AMD FreeSync Premium Pro technology enables fluid and tear-free gameplay
- 1152 mini-LED backlighting zones and VESA DisplayHDR 1400
- PureXP motion blur reduction with backlight strobing technology delivers ultra-smooth graphics
- In addition to fast data, audio and video transfer, USB-C also provides quick 90W charging over a single cable
- The XG341C-2K supports laptops, PCs, Macs, Gaming Consoles with HDMI 2.1, USB-C, USB, and DisplayPort inputs



34
DISPLAY



MVA
PANEL



3440 x 1440
RESOLUTION



Product Description

Ascend to the next level of visual performance and upgrade your gameplay with the curved 34-inch XG341C-2K Mini LED monitor. Featuring UWQHD resolution and a VESA DisplayHDRTM 1400 display, this state-of-the-art gaming monitor renders details with incredible clarity. Immerse yourself in ultra-smooth gameplay and react to enemies instantly with a rapid fire 200Hz (OC) refresh rate and a blazing-fast 1ms (MPRT) response time. Breeze through even the most intense action scenes with AMD FreeSync™ Premium Pro technology.

Specifications

More Information

UPC	766907016239
Monitor Series	ELITE Gaming
Screen Size	34
Viewable Area (in.)	34
Panel Type	MVA
Display Resolution	3440 x 1440
Display Resolution	UWQHD (3440x1440)
Static Contrast Ratio	3,000:1

Dynamic Contrast Ratio	120,000,000:1
Light Source	mini LED
Brightness	720; 1400 (w/ HDR+local dimming Peak (Min)) cd/m2
Colors	16.7M
Aspect Ratio	21:9
Response Time (GTG w/OD)	3ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare
Refresh Rate	200Hz
PC Resolution (max)	3440 x 1440
Mac® Resolution (max)	3440 x 1440
USB Type A	3
USB Type B	1
USB Type C	90W x 1
3.5mm Audio In	1
HDMI 2.1 In	2
DisplayPort	1
Internal Speakers	5W (x2)
Eco Mode (Conserve)	53W
Eco Mode (optimized)	61W
Consumption (typical)	65W
Consumption (max)	68W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Up, Right, Down, Left, Power
On Screen Display	Game Modes, Display, Input Select, ViewMode, Audio Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	30 ~ 320 KHz
Frequency Vertical	48 ~ 200 Hz
Height Adjust	120 mm / 4.7 in

Tilt (Forward/Back)	5° / 20°
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB, RoHS
Net (lbs)	25.0
Net Without Stand (lbs)	18.7
Gross (lbs)	40.3
Net (kg)	11.4
Net Without Stand (kg)	8.5
Gross (kg)	18.3
Packaging (in.)	37.9 x 20.4 x 13.8
Physical (in.)	31.8 x 18.94~23.67 x 15.1
Physical Without Stand (in.)	31.8 x 14.3 x 5.2
Packaging (mm)	963 x 518 x 351
Physical (mm)	807 x 481.11~601.11 x 384
Physical Without Stand (mm)	807 x 363 x 132
Package Contents	XG341C-2K x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v2.1; Male-Male) x1, DisplayPort Cable (v1.4; Male-Male) x1, USB Type-C Gen2 Cable (Male-Male) x1, USB A/B Cable (v3.2; Male-Male) x1, Quick Start Guide x1,
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907016239	



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email: salesinfo@viewsonic.com