


# VIEWSONIC 27" 2K QHD THIN-BEZEL IPS MONITOR WITH 65W USB-C, HDMI, DP AND HDR10 | VX2767U-2K

## Key Features

---

- See The Difference: 27 Inch QHD (2560x1440p) IPS monitor with thin bezels
- Less Cable Clutter: USB-C connectivity for fast data, audio and video transfer, and 65W charging over one cable
- HDR10 Content Support: For deep contrast, rich color, and vibrant details
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Flexible Connectivity: The VX2767U-2K supports laptops, PCs, and Macs with HDMI, and DisplayPort inputs



27"  
**DISPLAY**



IPS  
**PANEL**



2560 X 1440  
**RESOLUTION**



## Product Description

---

Designed for the modern-day home office, the ViewSonic® VX2767u-2k is a 27" Quad HD IPS monitor that combines style with optimal versatility and functionality. With a 3-sided frameless design, this monitor provides a near-seamless viewing experience ideal for multi-monitor setups. The latest USB 3.2 Type-C connectivity delivers 65W charging power, video, and audio over a single cable, while HDMI and DisplayPort inputs keep you connected to your favorite devices. Moreover, HDR10 content support delivers vivid colors and brightness that exceed standard monitors.

## Specifications

---

<b>UPC</b>	766907021028
<b>Screen Size</b>	27"
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	2560 x 1440
<b>Display Resolution</b>	QHD (2560x1440)
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m <sup>2</sup>
<b>Colors</b>	16.7M
<b>Color Space Support</b>	8 bit
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	4ms
<b>Response Time (MPRT)</b>	1ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>PC Resolution (max)</b>	2560 X 1440
<b>Mac® Resolution (max)</b>	2560 X 1440
<b>USB Type C</b>	65W x 1
<b>3.5mm Audio Out</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	2.5W (x2)
<b>Eco Mode (Conserve)</b>	16W
<b>Eco Mode (optimized)</b>	18W
<b>Consumption (typical)</b>	21W
<b>Consumption (max)</b>	26W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	HDMI (v1.4): 24 ~ 113 KHz, DisplayPort: 24 ~ 113 KHz, USB-C: 24 ~ 113 KHz
<b>Frequency Vertical</b>	HDMI (v1.4): 48 ~ 75 Hz, DisplayPort: 48 ~ 75 Hz, USB-C: 48 ~ 75 Hz
<b>Tilt (Forward/Back)</b>	5° / 20°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, NOM, Mexico Energy
<b>Net (lbs)</b>	11.7
<b>Net Without Stand (lbs)</b>	10.4
<b>Gross (lbs)</b>	13.9
<b>Net (kg)</b>	5.3
<b>Net Without Stand (kg)</b>	4.7
<b>Gross (kg)</b>	6.3
<b>Packaging (in.)</b>	27.6 x 18.1 x 4.6
<b>Physical (in.)</b>	24.2 x 17.2 x 8.7
<b>Physical Without Stand (in.)</b>	24.2 x 14.4 x 2.1
<b>Packaging (mm)</b>	701.0 x 461.0 x 118.0
<b>Physical (mm)</b>	614.0 x 436.0 x 222.0
<b>Physical Without Stand (mm)</b>	614.0 x 366.0 x 53.0
<b>Package Contents</b>	VX2767U-2K Display, Power Cable, USB-C Cable, HDMI Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907021028



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)