

# VIEWSONIC 27" 1440P ERGONOMIC IPS DOCKING MONITOR WITH 100W USB-C, RJ45 AND DAISY CHAIN | VG2756A-2K

## Key Features

---

- Versatile Monitor: 27 Inch QHD (2560x1440p) IPS monitor with thin bezels and 60Hz refresh rate
- Ditch The Dock: Ethernet RJ45 and USB-C connectivity for fast data, audio and video transfer, 100W charging over one cable
- Ergonomic Stand: Advanced ergonomics (40-degree tilt, swivel, rotate and height) for all-day comfort
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Versatile Stand: Easy-to-install quick release stand with carrying handle and client mount
- Flexible Connectivity: The VG2756A-2K supports PC, Mac and more with USB-C, RJ45, HDMI, DisplayPort In & Out (Daisy Chain), USB



27"  
**DISPLAY**



IPS  
**PANEL**



2560 X 1440  
**RESOLUTION**



**GREEN MEANS GO**  
Paper-Based Packaging and Easy-to-Install Stand

## Product Description

---

Designed to boost productivity and maximize output, the ViewSonic® VG2756a-2K is a 27" QHD docking monitor that transforms your desktop into a streamlined and efficient workspace. Enjoy reliable and flexible network connectivity with the integrated gigabit Ethernet port, while the USB Type-C connectivity allows easy single-cable connectivity to provide data, audio, video and up to 100w power delivery. DisplayPort out allows easy Daisy Chain capability for a dual monitor set-up for additional screen real estate. That's not all, the integrated USB hub allows easy connectivity for your peripherals and accessories. A best-in-class ergonomic design features 40-degree tilt and bi-directional pivot so your screen and workspace are as comfortable as you need. In addition, the included vDisplay software gives you quick and easy OSD control, as well as customized screen templates for easy multi-tasking. This monitor is also shipped in eco-friendly biodegradable packaging, along with an easy-to-install quick release stand that makes for quick deployment and a lower total cost of ownership.

# Specifications

	More Information
<b>UPC</b>	766907021691
<b>Screen Size</b>	27"
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	2560 x 1440
<b>Display Resolution</b>	QHD (2560x1440)
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	80,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	350 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	8 bit true
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>PC Resolution (max)</b>	2560 X 1440
<b>Mac® Resolution (max)</b>	2560 X 1440
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>USB Type C</b>	98W x 1
<b>Ethernet LAN (RJ45)</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>DisplayPort Out</b>	1
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	20.8W
<b>Eco Mode (optimized)</b>	25.1W
<b>Consumption (typical)</b>	30.7W
<b>Consumption (max)</b>	74W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W

<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1,2,3,4,5,6 (Power)
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	HDMI (v1.4): 15 ~ 90 KHz, DisplayPort: 15 ~ 90 KHz, USB-C: 15 ~ 90 KHz
<b>Frequency Vertical</b>	HDMI (v1.4): 49 ~ 75 Hz, DisplayPort: 49 ~ 75 Hz, USB-C: 49 ~ 75 Hz
<b>Height Adjust</b>	130 mm / 5.1 in
<b>Swivel</b>	120°
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Tilt (Forward/Back)</b>	5° / 40°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, MX-CoC, Mexico Energy
<b>Net (lbs)</b>	16.7
<b>Net Without Stand (lbs)</b>	11.6
<b>Gross (lbs)</b>	23.5
<b>Net (kg)</b>	7.6
<b>Net Without Stand (kg)</b>	5.3
<b>Gross (kg)</b>	10.7
<b>Packaging (in.)</b>	27.2 x 16.9 x 8.6
<b>Physical (in.)</b>	24.1 x 15.99~20.99 x 8.0
<b>Physical Without Stand (in.)</b>	24.1 x 14.2 x 2.0
<b>Packaging (mm)</b>	692 x 430 x 218
<b>Physical (mm)</b>	612 x 406.19~533.24 x 202
<b>Physical Without Stand (mm)</b>	612 x 362 x 52
<b>Package Contents</b>	VG2756a-2K Display, Power Cable, DP to DP Cable, USB Type C cable, USB A/B Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907021691



USB-C with 100W Power Delivery

Ethernet

**LESS CLUTTER. MORE EFFICIENCY**  
One Cable Solution and Docking Station



ViewSonic

VG2756A-2K



Height Pivot Tilt

**ADVANCED ERGONOMICS WITH 40° TILT**  
More Comfort while Working

**Contact Sales**  
[ViewSonic.com](https://www.viewsonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)