

## VIEWSONIC 15.6" 1080X1200P 16:10 PORTABLE MONITOR WITH 40W USB-C, STAND, CARRYING CASE, PANTONE VALIDATED | VP1656

### Key Features

- 16 Inch Full HD (1920x1200p) LED portable monitor with 75Hz refresh rate and protective case
- With a weight of 3 lbs and a thickness of 0.91 in, this 16 inch portable monitor slips easily into backpacks and purses
- USB-C connectivity for fast data, audio and video transfer, and 40W charging over one cable
- Comes with ergonomic height-adjustable stand and tripod mount as well as monitor hood and screen cover
- This monitor has been certified as capable of reproducing Pantone Matching System colors



16  
**DISPLAY**



IPS  
**PANEL**



1920 X 1200  
**RESOLUTION**

### Product Description

The ViewSonic® ColorPro® VP1656 is a 16" portable monitor that boasts a native WUXGA 1920 x 1200 resolution. Featuring a flexible and foldable ergonomic stand, it offers easy height adjustment to achieve the perfect viewing angle across various environments. This monitor is Pantone Validated and comes factory hardware calibrated, with 100% sRGB color gamut ensuring richer color uniformity and enhanced detail accuracy to meet the high standards of professional content creators. An integrated tripod mount in the stand allows the display to function as a high-quality photo or video preview screen, ideal for fine adjustments in the field. Versatile connectivity options include two USB-C ports supporting 2-way charging, a micro HDMI port, and a headphone jack.

### Specifications

#### More Information

<b>UPC</b>	766907025460
<b>Screen Size</b>	16
<b>Viewable Area (in.)</b>	16
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	1920 x 1200
<b>Display Resolution</b>	WUXGA (1920x1200)
<b>Static Contrast Ratio</b>	1,200:1
<b>Dynamic Contrast Ratio</b>	20,000,000:1
<b>Light Source</b>	LED

<b>Brightness</b>	300 cd/m2
<b>Color Space Support</b>	8 bit true
<b>Aspect Ratio</b>	16:10
<b>Response Time (Typical GTG)</b>	6.5ms
<b>Viewing Angles</b>	170° horizontal, 170° vertical
<b>Backlight Life (Hours)</b>	15,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>Refresh Rate</b>	75Hz
<b>PC Resolution (max)</b>	1920 X 1200
<b>Mac® Resolution (max)</b>	1920 X 1200
<b>USB Type C</b>	40W x 2
<b>3.5mm Audio Out</b>	1
<b>Micro HDMI</b>	1
<b>Internal Speakers</b>	1W (x2)
<b>Eco Mode (Conserve)</b>	7.0
<b>Eco Mode (optimized)</b>	7.8W
<b>Consumption (typical)</b>	8.6W
<b>Consumption (max)</b>	17.0W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5
<b>Power Supply</b>	External
<b>Cable Organization</b>	No
<b>Physical Controls</b>	Up, Down, Left/Return, Right/Confirmed, Power
<b>On Screen Display</b>	Input Select, Color Mode, ViewMode, Audio Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>Frequency Horizontal</b>	micro HDMI 1.4, USB Type C: 24 ~ 95 KHz
<b>Frequency Vertical</b>	micro HDMI 1.4, USB Type C: 24 ~ 75 Hz
<b>Height Adjust</b>	76 mm
<b>Tilt (Forward/Back)</b>	55° / 20°
<b>Regulations</b>	cTUVus, FCC-B ICES003, Energy Star, EPEAT, CEC, NRCAN, NOM, Mexico Energy
<b>Net (lbs)</b>	3.4
<b>Gross (lbs)</b>	7.1
<b>Net (kg)</b>	1.6
<b>Gross (kg)</b>	3.2
<b>Packaging (in.)</b>	16.7 x 12.4 x 5.1

**Physical (in.)** 14.33 x 9.43~12.89 x 0.91

**Packaging (mm)** 425.0 x 316.0 x 129.0

**Physical (mm)** 363.88 x 239.52~327.32 x 23.15

**Package Contents** VP1656 Display, Power adaptor, USB-C to USB-A cable, micro HDMI Cable, USB-C Cable, Quick Start Guide, Protective bag

**Recycle/Disposal** Please dispose of in accordance with local, state or federal laws.

**Warranty** Three-year limited warranty on parts, labor and backlight

UPC: 766907025460



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781 

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com) 