


## VIEWSONIC 22" 1080P IPS MONITOR WITH HDMI, VGA | VA2214-H

### Key Features

---


- Wide-angle viewing with SuperClear® IPS technology
- Three-sided frameless design
- HDMI and VGA connectivity
- Variable refresh rate technologies deliver smoother images
- Full HD 1080p resolution



22"  
**DISPLAY**



IPS  
**PANEL**



1920 x 1080  
**RESOLUTION**



### Product Description

---

Experience flexible connectivity, wide-angle viewing and stunning screen performance with the ViewSonic® VA2214-H monitor.

Enjoy powerful brightness and stunning contrast at nearly any viewing angle thanks to state-of-the-art IPS panel technology in a three-sided frameless display. The VA2214-H features a VGA port, HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. Immerse yourself in a smoother viewing experience with built-in variable refresh rate technology that virtually eliminates screen tearing and stuttering.

Change the way you work and play with the ViewSonic VA2214-H monitor today.

# Specifications

---

	More Information
<b>UPC</b>	766907028102
<b>Screen Size</b>	22"
<b>Viewable Area (in.)</b>	21.5
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	1920 x 1080
<b>Display Resolution</b>	Full HD (1920x1080)
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	6 bit + FRC
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	4ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>Refresh Rate</b>	100Hz
<b>PC Resolution (max)</b>	1920 x 1080
<b>Mac® Resolution (max)</b>	1920 x 1080
<b>3.5mm Audio Out</b>	1
<b>VGA</b>	1
<b>HDMI 1.4 In</b>	1
<b>Eco Mode (Conserve)</b>	13W
<b>Eco Mode (optimized)</b>	15W
<b>Consumption (typical)</b>	17W
<b>Consumption (max)</b>	21.3W
<b>Voltage</b>	100-240 VAC, 50-60Hz
<b>Stand-by</b>	0.3W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)

<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	HDMI 1.4 = 24 ~ 115 KHz   RGB Analog = 24 ~ 86 KHz
<b>Frequency Vertical</b>	HDMI 1.4 = 48 ~100 Hz   RGB Analog = Fv = 48 ~75 Hz
<b>Tilt (Forward/Back)</b>	5° / 20°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, RoHS, WEEE, BSMI
<b>Net (lbs)</b>	6
<b>Net Without Stand (lbs)</b>	5.3
<b>Gross (lbs)</b>	8.4
<b>Net (kg)</b>	2.7
<b>Net Without Stand (kg)</b>	2.4
<b>Gross (kg)</b>	3.8
<b>Packaging (in.)</b>	21.5 " (W) x 13.8 " (H) x 5.5 " (D)
<b>Physical (in.)</b>	19.4 " (W) x 15.1 " (H) x 8.1 " (D)
<b>Physical Without Stand (in.)</b>	19.4 " (W) x 11.4 " (H) x 2.0 " (D)
<b>Packaging (mm)</b>	547 mm (W) x 350 mm (H) x 140 mm (D)
<b>Physical (mm)</b>	493.4 mm (W) x 385.3 mm (H) x 206.3 mm (D)
<b>Physical Without Stand (mm)</b>	493.4 mm (W) x 290.1 mm (H) x 50.1 mm (D)
<b>Package Contents</b>	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907028102



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)