



VX2467U - 24" 1080P IPS MONITOR WITH 65W USB C AND HDMI

Key Features

24
DISPLAYIPS
PANEL1920x1080
RESOLUTION

Product Description

The ViewSonic® VX2467U is a 24" Full HD monitor that combines style with optimal versatility and functionality perfect for home use. Whether for streaming, editing, or gaming these sleek and slim displays are engineered with the everyday user in mind. With a 3-sided frameless design this monitor provides a near-seamless viewing experience ideal for multi-monitor setups. USB 3.2 Type-C connectivity delivers 65W charging power, video, and audio over a single cable, while HDMI and VGA inputs keep you connected to your favorite devices.

Specifications

| | More Information |
|------------------------------------|---------------------|
| UPC | 766907025347 |
| Screen Size | 24 |
| Viewable Area (in.) | 23.6 |
| Panel Type | IPS |
| Display Resolution | 1920 x 1080 |
| Display Resolution | Full HD (1920x1080) |
| Static Contrast Ratio | 1,000:1 |
| Dynamic Contrast Ratio | 50,000,000:1 |
| Light Source | LED |
| Brightness | 250 cd/m2 |
| Colors | 16.7M |
| Color Space Support | 8 bit (6 bit + FRC) |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 3ms |

| | |
|----------------------------------|---|
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-glare, Hard coating (3H) |
| Refresh Rate | 75Hz |
| PC Resolution (max) | 1920x1080 |
| Mac® Resolution (max) | 1920x1080 |
| USB Type C | 65W x 1 |
| 3.5mm Audio Out | 1 |
| VGA | 1 |
| HDMI 1.4 In | 1 |
| Internal Speakers | 2W (x2) |
| Eco Mode (Conserve) | 12W |
| Eco Mode (optimized) | 13W |
| Consumption (typical) | 16W |
| Consumption (max) | 22W |
| Voltage | 100-240 VAC, 50-60Hz |
| Stand-by | 0.5W |
| Power Supply | External |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power) |
| On Screen Display | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | VGA, HDMI 1.4, USC Type C: 24 ~ 86 KHz |
| Frequency Vertical | VGA, HDMI 1.4, USC Type C: 48 ~ 75 Hz |
| Tilt (Forward/Back) | 5° / 20° |
| Regulations | cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, NOM, Mexico Energy |
| Net (lbs) | 7.2 |
| Net Without Stand (lbs) | 5.9 |
| Gross (lbs) | 10.5 |
| Net (kg) | 3.3 |
| Net Without Stand (kg) | 2.7 |
| Gross (kg) | 4.8 |
| Packaging (in.) | 23.7 x 16.1 x 4.7 |

| | |
|-------------------------------------|--|
| Physical (in.) | 21.0 x 16.0 x 8.0 |
| Physical Without Stand (in.) | 21.0 x 12.6 x 2.0 |
| Packaging (mm) | 602.0 x 408.0 x 120.0 |
| Physical (mm) | 534.0 x 407.0 x 202.0 |
| Physical Without Stand (mm) | 534.0 x 320.0 x 51.0 |
| Package Contents | VX2467U Display, Power Adapter, HDMI Cable, USB Type C cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |

UPC: 766907025347



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com