

PRODUCT REFERENCE GUIDE:

# MONITORS

Beauty is in the details.



## VA - Value Series: Rock-solid Dependability

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VA2855SMH	28"	1920 x 1080	MVA	300 cd/m <sup>2</sup>	7ms	Yes	Tilt	26.0 x 17.8 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA
VA2719-2K-SMHD	27"	2560 x 1440	IPS	300 cd/m <sup>2</sup>	14ms	Yes	Tilt	24.4 x 17.5 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI 1.4(x2), Display Port
VA2719-SMH	27"	1920 x 1080	IPS	300 cd/m <sup>2</sup>	14ms	Yes	Tilt	24.4 x 17.5 x 9.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4
VA2746M-LED	27"	1920 x 1080	TN	300 cd/m <sup>2</sup>	5ms	Yes	Tilt	25.4 x 17.4 x 9.8	3.5mm Audio In, VGA, DVI-D
VA2746MH-LED	27"	1920 x 1080	TN	300 cd/m <sup>2</sup>	5ms	Yes	Tilt	25.4 x 17.4 x 9.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4
VA2756-MHD	27"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	24.1 x 16.9 x 9.2	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port
VA2759-SMH	27"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	24.5 x 17.6 x 9.3	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, 3-pin plug (CEE22)
VA2419-SMH	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	21.6 x 15.9 x 8.5	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4
VA2446M-LED	24"	1920 x 1080	TN	300 cd/m <sup>2</sup>	5ms	Yes	Tilt	22.5 x 15.8 x 8.3	3.5mm Audio In, VGA, DVI-D
VA2446MH-LED	24"	1920 x 1080	MVA	300 cd/m <sup>2</sup>	5ms	Yes	Tilt	22.3 x 15.7 x 8.3	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VA2452SM	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	7ms	Yes	Tilt	22.2 x 16.6 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VA2452SM_H2	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	6.5ms	Yes	-	22.2 x 13.2 x 2.0	3.5mm Audio In, VGA, DVI-D, Display Port
VA2456-MHD	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	21.3 x 15.3 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port
VA2459-SMH	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	21.3 x 15.4 x 7.9	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4
VA2465SMH	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	7ms	Yes	Tilt	22.2 x 16.1 x 7.6	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA
VA2359-SMH	23"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	21.0 x 15.4 x 7.9	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, 3-pin plug (CEE22)
VA2232WM-LED	22"	1680 x 1050	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.1 x 16.4 x 7.7	3.5mm Audio In, VGA, DVI-D
VA2246M-LED	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.1 x 14.4 x 7.8	3.5mm Audio In, VGA, DVI-I
VA2246MH-LED	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.1 x 14.4 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4
VA2249S	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	20.1 x 14.4 x 7.5	VGA, DVI-D
VA2252SM	22"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	6.5ms	Yes	Tilt	22.5 x 15.7 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VA2252SM_H2	22"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	6.5ms	Yes	-	22.5 x 12.2 x 2.0	3.5mm Audio In, VGA, DVI-D, Display Port
VA2256-MHD	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	15ms	Yes	Tilt	19.3 x 14.3 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port
VA2259-SMH	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	19.7 x 14.8 x 7.9	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, 3-pin plug (CEE22)
VA2265SMH	22"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	6.5ms	Yes	Tilt	20.1 x 15.3 x 7.6	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA
VA2055SA	20"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	25ms	Yes	Tilt	18.6 x 13.7 x 8.3	VGA
VA2055SM	20"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	25ms	Yes	Tilt	18.6 x 13.7 x 8.3	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D
VA1917A	19"	1366 x 768	TN	200 cd/m <sup>2</sup>	5ms	Yes	Tilt	17.4 x 13.1 x 6.9	VGA
VA951S	19"	1280 x 1024	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	16.4 x 15.8 x 7.8	VGA, DVI-D
VA708A	17"	1280 x 1024	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	14.4 x 15.4 x 7.5	VGA

## VG - Graphics Series: Maximum Productivity

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
---------	-------------	------------	------	------------------	----------------	-----------------------	------------	----------------------------	--------------

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VG2847SMH	28"	1920 x 1080	MVA	300 cd/m²	7ms	Yes	Height, Swivel, Tilt	26.0 x 19.0 x 10.5	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port
VG2860MHL-4K	28"	3840 x 2160	TN	300 cd/m²	2ms	Yes	Height, Swivel, Tilt	26.0 x 19.0 x 10.5	USB 2.0 Type A(x2), USB 2.0 Type B, USB 3.0 Type A(x2), 3.5mm Audio In, 3.5mm Audio Out, HDMI(x2), DVI-D, Display Port(x2)
VG2739	27"	1920 x 1080	MVA	300 cd/m²	12ms	Yes	Height, Swivel, Tilt	24.1 x 21.3 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port
VG2748	27"	1920 x 1080	IPS	300 cd/m²	14ms	Yes	Pivot, Height, Swivel, Tilt	24.5 x 16.0 x 8.0	USB 3.0 Type A(x4), USB 3.0 Type B, VGA, HDMI 1.4, Display Port
VG2753	27"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	Height, Swivel, Tilt	24.5 x 21.4 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port, Mini Display Port
VG2753_H2	27"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	-	24.5 x 14.7 x 2.1	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port, Mini Display Port
VG2765	27"	2560 x 1440	IPS	350 cd/m²	12ms	Yes	Height, Swivel, Tilt	24.1 x 21.3 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4, Display Port, Mini Display Port
VG2437SMC	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Height, Swivel, Tilt	21.9 x 17.8 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Mic In, 3.5mm Mic Out, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VG2438SM	24"	1920 x 1200	IPS	250 cd/m²	5ms	Yes	Height, Swivel, Tilt	21.9 x 15.5 x 8.0	USB 3.0 Type A(x4), 3.5mm Audio In, VGA, DVI-D, Display Port
VG2439M-LED	24"	1920 x 1080	TN	300 cd/m²	5ms	Yes	Height, Swivel, Tilt	22.1 x 17.1 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VG2439SMH	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Height, Swivel, Tilt	22.1 x 17.1 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port
VG2448	24"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	Pivot, Height, Swivel, Tilt	21.7 x 20.4 x 8.0	USB 3.0 Type A(x4), USB 3.0 Type B, VGA, HDMI 1.4, Display Port
VG2449	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Height, Swivel, Tilt	22.1 x 17x1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, VGA, HDMI 1.4, Display Port, Display Port Out, Mini Display Port
VG2449_H2	24"	1920 x 1080	MVA	250 cd/m²	7ms	-	-	22.1 x 13.1 x 2.3	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port, Display Port Out, Mini Display Port
VG2453	24"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	Height, Swivel, Tilt	21.3 x 16.3 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port, Mini Display Port
VG2453_H2	24"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	-	21.3 x 12.8 x 1.8	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port, Mini Display Port
VG2239M-LED	22"	1920 x 1080	TN	250 cd/m²	5ms	Yes	Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VG2239SMH	22"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port
VG2248	22"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	Pivot, Height, Swivel, Tilt	19.6 x 14.7 x 8.0	USB 3.0 Type A(x4), USB 3.0 Type B, VGA, HDMI 1.4, Display Port
VG2249	22"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, VGA, HDMI 1.4, Display Port, Display Port Out, Mini Display Port
VG2249_H2	22"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	-	20.2 x 12.0 x 2.1	USB 3.0 Type A(x2), USB 3.0 Type B, VGA, HDMI 1.4, Display Port, Display Port Out, Mini Display Port
VG2253	22"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	Height, Swivel, Tilt	19.7 x 16.3 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port, Mini Display Port
VG2039M-LED	20"	1600 x 900	TN	250 cd/m²	5ms	Yes	Height, Swivel, Tilt	18.5 x 15.2 x 9.9	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VG939SM	19"	1280 x 1024	IPS	250 cd/m²	14ms	Yes	Height, Swivel, Tilt	16.4 x 14.8 x 8.0	USB 2.0 Type B, USB 3.0 Type A(x2), 3.5mm Audio In, VGA, DVI-D

## VP - Professional Series: The Art & Science of Color

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VP3881	38"	3840 x 1600	IPS	300 cd/m²	14ms	Yes	Height, Swivel, Tilt	35.3 x 24.8 x 11.8	USB 3.0 Type A(x3), USB 3.0 Type B, USB 3.1 Type C, 3.5mm Audio In, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), Display Port
VP3268-4K	32"	3840 x 2160	IPS	350 cd/m²	14ms	Yes	Pivot, Height, Swivel, Tilt	28.1 x 25.0 x 10.5	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), Display Port, Mini Display Port
VP2768	27"	2560 x 1440	IPS	350 cd/m²	14ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.3 x 8.5	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4(x2), Display Port, Display Port Out, Mini Display Port
VP2768-4K	27"	3840 x 2160	IPS	350 cd/m²	14ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 21.3 x 8.5	USB 3.1 Type A(x4), USB 3.1 Type B, 3.5mm Audio Out, HDMI 2.0(x2), Display Port, Mini Display Port
VP2771	27"	2560 x 1440	IPS	350 cd/m²	14ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB 3.1 Type A(x3), USB 3.1 Type B, USB 3.1 Type C, 3.5mm Audio Out, HDMI 1.4, Display Port, Display Port Out, Mini Display Port
VP2780-4K	27"	3840 x 2160	IPS	350 cd/m²	14ms	Yes	Height, Swivel, Tilt	25.3 x 18.5 x 13.7	USB 3.0 Type A(x4), 3.5mm Audio Out, HDMI(x2), HDMI 2.0, Display Port(x2)

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VP2785-4K	27"	3840 x 2160	IPS	350 cd/m <sup>2</sup>	14ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB 3.1 Type A(x3), USB 3.1 Type B, USB 3.1 Type C, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), Display Port, Mini Display Port
VP2468	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 20.5 x 8.5	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4(x2), Display Port(x2), Display Port Out, Mini Display Port, 3-pin plug (CEE22)
VP2468_H2	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	-	21.2 x 12.2 x 1.9	USB 3.0 Type A(x4), USB 3.0 Type B, HDMI 1.4(x2), Display Port, Display Port Out, Mini Display Port

## VX - Entertainment Series: Stunning Resolution & Performance

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VX4380-4K	43"	3840 x 2160	IPS	350 cd/m <sup>2</sup>	12ms	Yes	Tilt	38 x 25.7 x 9.5	USB 3.0 Type A(x3), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0(x2), Display Port, Display Port Out, Mini Display Port
VX3211-2K-MHD	32"	2560 x 1440	IPS	250 cd/m <sup>2</sup>	8ms	Yes	Tilt	28.7 x 19.5 x 9.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port
VX3211-4K-MHD	32"	3840 x 2160	MVA	300 cd/m <sup>2</sup>	9.5ms	Yes	Tilt	28.7 x 19.5 x 9.1	3.5mm Audio Out, HDMI 2.0(x2), Display Port
VX3216-SCMH-W	32"	1920 x 1080	MVA	280 cd/m <sup>2</sup>	14ms	-	Tilt	28.0 x 19.8 x 6.9	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, HDMI 1.4
VX3258-2KC-MHD	32"	2560 x 1440	MVA	250 cd/m <sup>2</sup>	22ms	-	Tilt	28.1 x 19.4 x 8.5	3.5mm Audio Out, HDMI 2.0(x2), Display Port(x2)
VX2757-MHD	27"	1920 x 1080	TN	300 cd/m <sup>2</sup>	2ms	Yes	Tilt	25.2 x 19.3 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port
VX2758-C-MH	27"	1920 x 1080	MVA	280 cd/m <sup>2</sup>	21ms	-	Tilt	24.0 x 17.2 x 7.6	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, HDMI 2.0
VX2776-SMHD	27"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	-	Tilt	24.5 x 18.2 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port
VX2778-SMHD	27"	2560 x 1440	IPS	350 cd/m <sup>2</sup>	14ms	Yes	Tilt	24.1 x 17.9 x 7.5	3.5mm Audio Out, HDMI 1.4, Display Port, Mini Display Port
VX2452MH	24"	1920 x 1080	TN	300 cd/m <sup>2</sup>	2ms	Yes	Tilt	22.0 x 17.0 x 8.8	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, DVI-D
VX2457-MHD	24"	1920 x 1080	TN	300 cd/m <sup>2</sup>	2ms	-	Tilt	23.2 x 16.6 x 9.0	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port, 3-pin plug (CEE22)
VX2476-SMHD	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	-	Tilt	21.3 x 16.3 x 8.2	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4, Display Port

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VX2478-SMHD	24"	2560 x 1440	IPS	300 cd/m <sup>2</sup>	14ms	Yes	Tilt	21.3 x 16.6 x 7.5	3.5mm Audio Out, HDMI 1.4, Display Port, Mini Display Port
VX2370SMH-LED	23"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	-	Tilt	21.0 x 16.1 x 7.1	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, DVI-D
VX2376-SMHD	23"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	-	-	20.9 x 16.2 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port, External Power Adapter
VX2252MH	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	2ms	Yes	Tilt	20.1 x 15.8 x 8.8	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, DVI-D
VX2257-MHD	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	2ms	-	Tilt	20.1 x 15.5 x 9.0	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port, 3-pin plug (CEE22)
VX2270SMH-LED	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	-	Tilt	19.7 x 15.4 x 7.1	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, DVI-D
VX2276-SMHD	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	-	Tilt	19.6 x 15.5 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port

## XG - Gaming Series: For Enthusiasts, Diehards & Pros

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
XG3220	32"	3840 x 2160	MVA	300 cd/m <sup>2</sup>	9.5ms	Yes	Pivot, Height, Swivel, Tilt	28.6 x 18.1 x 10.3	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0(x2), Display Port
XG2700-4K	27"	3840 x 2160	IPS	300 cd/m <sup>2</sup>	5ms	-	Height, Swivel, Tilt	25.3 x 21.9 x 9.1	USB 2.0 Type B, USB 3.0 Type A(x4), 3.5mm Audio Out, HDMI(x2), HDMI 2.0, Display Port, Mini Display Port, DC In
XG2701	27"	1920 x 1080	TN	300 cd/m <sup>2</sup>	1ms	-	Height, Swivel, Tilt	25.3 x 17.1 x 9.1	USB 2.0 Type A(x2), USB 2.0 Type B, USB 3.0 Type A(x2), 3.5mm Audio Out, HDMI(x2), Display Port, Mini Display Port, 3-pin plug (CEE22)
XG2702	27"	1920 x 1080	TN	400 cd/m <sup>2</sup>	1ms	Yes	Pivot, Height, Swivel, Tilt	25.3 x 17.2 x 9.4	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4, HDMI 2.0, Display Port
XG2703-GS	27"	2560 x 1440	IPS	350 cd/m <sup>2</sup>	4ms	Yes	Height, Swivel, Tilt	24.6 x 21.0 x 9.9	USB 2.0 Type A(x2), USB 2.0 Type B, USB 3.0 Type A(x2), 3.5mm Audio Out, HDMI 1.4, Display Port, DC In
XG2760	27"	2560 x 1440	TN	350 cd/m <sup>2</sup>	5ms	Yes	Pivot, Height, Swivel, Tilt	24.6 x 17.1 x 10.3	USB 2.0 Type A(x2), USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4, Display Port
XG2530	25"	1920 x 1080	TN	400 cd/m <sup>2</sup>	1ms	Yes	Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4, HDMI 2.0, Display Port
XG2560	25"	1920 x 1080	TN	400 cd/m <sup>2</sup>	1ms	Yes	Height, Swivel, Tilt	22.3 x 16.1 x 10.2	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4, Display Port

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
XG2401	24"	1920 x 1080	TN	350 cd/m <sup>2</sup>	1ms	-	Height, Swivel, Tilt	22.3 x 17.0 x 9.1	USB 2.0 Type B, USB 3.0 Type A(x2), 3.5mm Audio Out, HDMI(x2), Display Port, 3-pin plug (CEE22)
XG2402	24"	1920 x 1080	TN	350 cd/m <sup>2</sup>	1ms	Yes	Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4(x2), Display Port

## TD - Touch Display Series: Intuitive Touch

Product	Screen Size	Resolution	Type	Brightness (typ)	Video Response	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
TD2740	27"	1920 x 1080	MVA	260 cd/m <sup>2</sup>	12ms	Yes	Tilt	26.5 x 16.5 x 2.0	USB 2.0 Type A(x2), 3.5mm Audio In, 3.5mm Audio Out, HDMI(x2), VGA, HDMI 1.4, Display Port
TD2421	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	22.5 x 15.4 x 9.5	USB 2.0 Type A(x2), USB 2.0 Type B, VGA, HDMI 1.4, DVI-I
TD2430	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	25ms	Yes	Tilt	22.6 x 13.9 x 1.9	USB 3.0 Type A(x2), USB 3.0 Type B, VGA, HDMI 1.4, Display Port
TD2210	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.1 x 14.3 x 9.5	USB 2.0 Type A, USB 2.0 Type B, VGA, DVI-I
TD2220	22"	1920 x 1080	TN	200 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.1 x 14.4 x 9.5	USB 2.0 Type A(x2), 3.5mm Audio In, VGA, DVI-D
TD2230	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	19.3 x 11.8 x 5.1	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI, VGA, Display Port, DC 19V/2.37A
TD1711	17"	1280 x 1024	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	14.5 x 13.7 x 8.2	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 (with CEC), RS232 In

## VSD - Smart Displays for Android: Versatile Touch

<b>Product</b>	<b>Screen Size</b>	<b>Resolution</b>	<b>Type</b>	<b>Brightness (typ)</b>	<b>Video Response</b>	<b>VESA Compatible Mount</b>	<b>Ergonomics</b>	<b>Dimensions W x H x D (in.)</b>	<b>Connectivity</b>
VSD242	24"	1920 x 1080	-	250 cd/m <sup>2</sup>	16ms	Yes	Tilt	22.6 x 13.9 x 1.9	3.5mm Mic In, 3.5mm Audio In, 3.5mm Audio Out, Mini USB, Ethernet LAN (RJ45), HDMI MHL, USB 2.0 Type A(x4), USB 2.0 Type B
VSD220	22"	1920 x 1080	-	250 cd/m <sup>2</sup>	5ms	-	-	13.9 x 2.2 x 20.2	-