



VIEWSONIC 27" 1080P VIDEO CONFERENCING MONITOR WITH WINDOWS HELLO CERTIFIED IR 5MP WEBCAM, USB-C, HDMI, DP | VG2741V

Key Features

- Versatile Monitor: 27 Inch Full HD (1920x1080p) IPS webcam monitor with 120Hz refresh rate
- Video Conferencing Monitor: Built-in microphone, speakers and 5MP camera with privacy shutter and 5 degree tilt adjustment
- Windows Hello-Certified: Enjoy convenient facial recognition for a safe, password-free, single user sign-on experience with an IR-integrated camera
- Ergonomic Stand: Advanced ergonomics with tilt, swivel, rotate, and height adjustment for all-day comfort
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Flexible Connectivity: The VG2741V supports laptops, PCs, Macs and more with HDMI, USB, DisplayPort, VGA inputs



27"
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



ADJUSTABLE BUILT-IN CAMERA
With ±5 degree tilt and privacy shutter

Product Description

Enjoy streamlined collaboration and video conferencing with the ViewSonic® VG2741V monitor. This 27" FHD monitor features a built-in 5MP integrated camera that supports secure, password-free sign-in with Windows Hello, while a 5-degree adjustable angle and privacy shutter ensure optimal positioning and peace of mind. Plus, with additional features including built-in camera, a microphone and powerful speakers, users can enjoy a fully immersive meeting experience where everyone looks and sounds their best. Get more clarity from vivid visuals with SuperClear® IPS technology and stay comfortable with a fully ergonomic stand. Whether you're working from home or at the office, the VG2741V makes it easy to stay connected with HDMI, DisplayPort, and USB-C* inputs - along with a handy USB hub that includes both USB-A and USB-C ports.

*USB-C port supports video, audio, and data only.

Specifications

	More Information
UPC	766907032260
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bit + FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB Type A	2
USB Type C	2
3.5mm Audio Out	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	16
Eco Mode (optimized)	20
Consumption (typical)	24
Consumption (max)	72
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5
Power Supply	Internal

Cable Organization	Yes
Kensington Lock Slot	1
Webcam	5MP
Physical Controls	Key 1 (volume down), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
On Screen Display	Input Select, Audio/MIC Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	30 ~ 135 KHz
Frequency Vertical	48 ~ 120 Hz
Height Adjust	150 mm / 5.9 in
Swivel	90º
Pivot (Right/Left)	90º / 90º
Tilt (Forward/Back)	5º / 20º
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC, NOM, Mexico Energy
Net (lbs)	11.7
Net Without Stand (lbs)	8.2
Gross (lbs)	17.9
Net (kg)	5.3
Net Without Stand (kg)	3.7
Gross (kg)	8.1
Packaging (in.)	27.6 x 20.7 x 4.9
Physical (in.)	24.1 x 15.74 ~ 21.65 x 8.11
Physical Without Stand (in.)	24.1 x 15.25 x 2.33
Packaging (mm)	700 x 525 x 125
Physical (mm)	611.8 x 399.9 ~ 549.9 x 206.1
Physical Without Stand (mm)	611.8 x 387.3 x 59.2
Package Contents	VG2741V x1, 3-pin Plug x1, HDMI Cable (v1.4; Male-Male) x1, USB Type-C Cable (Male-Male; with Type-A adapter) x1, Quick Start Guide x1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907032260



Contact Sales
ViewSonic.com
888.881.8781
email:
salesinfo@viewsonic.com