





VA2409M-2 - 24" 1080P IPS 75HZ ADAPTIVE SYNC MONITOR WITH HDMI, VGA

## Key Features


---



24"  
**DISPLAY**



IPS  
**PANEL**



1920 x 1080  
**RESOLUTION**



- 100x100mm VESA compatible mount
- x1 HDMI 1.4
- x1 VGA
- x1 3.5mm Audio (Out)
- 2x 2-watt integrated speakers

**FUTURE-PROOF  
CONNECTIVITY OPTIONS**

## Product Description

---

Featuring enhanced wide-angle viewing, stunning resolution and flexible connectivity options, the ViewSonic® VA2409m monitor is a great addition to any workspace. This 24" (23.6" viewable) VA2409m monitor comes with SuperClear® IPS panel technology so you can experience stunning brightness and contrast at nearly any viewing angle. With a minimalist edge-to-edge screen and a 3-sided frameless bezel, you can easily create a seamless multi-monitor setup. Connect laptops, PCs, gaming consoles and other multimedia devices using the HDMI port. And with powerful features like flicker-free technology and a blue light filter, you can work for longer with less strain. Enjoy a 3 year limited warranty, industry-leading pixel performance policy and so much more with the ViewSonic VA2409m monitor.

## Specifications

---



---

[More Information](#)

|                                    |                                                                                     |
|------------------------------------|-------------------------------------------------------------------------------------|
| <b>UPC</b>                         | 766907031881                                                                        |
| <b>Screen Size</b>                 | 24"                                                                                 |
| <b>Viewable Area (in.)</b>         | 23.6                                                                                |
| <b>Panel Type</b>                  | IPS                                                                                 |
| <b>Display Resolution</b>          | 1920 x 1080                                                                         |
| <b>Display Resolution</b>          | Full HD (1920x1080)                                                                 |
| <b>Static Contrast Ratio</b>       | 1,000:1                                                                             |
| <b>Dynamic Contrast Ratio</b>      | 50,000,000:1                                                                        |
| <b>Light Source</b>                | LED                                                                                 |
| <b>Brightness</b>                  | 250 cd/m2                                                                           |
| <b>Colors</b>                      | 16.7M                                                                               |
| <b>Color Space Support</b>         | 8 bit (6 bit + FRC)                                                                 |
| <b>Aspect Ratio</b>                | 16:9                                                                                |
| <b>Response Time (Typical GTG)</b> | 3ms                                                                                 |
| <b>Viewing Angles</b>              | 178º horizontal, 178º vertical                                                      |
| <b>Backlight Life (Hours)</b>      | 30,000                                                                              |
| <b>Panel Surface</b>               | Anti-Glare type, Hard-coating (3H), Haze 25%                                        |
| <b>PC Resolution (max)</b>         | 1920 x 1080                                                                         |
| <b>Mac® Resolution (max)</b>       | 1920 x 1080                                                                         |
| <b>3.5mm Audio Out</b>             | 1                                                                                   |
| <b>VGA</b>                         | 1                                                                                   |
| <b>HDMI 1.4 In</b>                 | 1                                                                                   |
| <b>Internal Speakers</b>           | 2W (x2)                                                                             |
| <b>Eco Mode (Conserve)</b>         | 17                                                                                  |
| <b>Eco Mode (optimized)</b>        | 19                                                                                  |
| <b>Consumption (typical)</b>       | 21                                                                                  |
| <b>Consumption (max)</b>           | 24                                                                                  |
| <b>Voltage</b>                     | AC 100-240V (universal), 50-60Hz                                                    |
| <b>Stand-by</b>                    | 0.3                                                                                 |
| <b>Power Supply</b>                | External                                                                            |
| <b>Cable Organization</b>          | No                                                                                  |
| <b>Kensington Lock Slot</b>        | 1                                                                                   |
| <b>Physical Controls</b>           | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)                                |
| <b>On Screen Display</b>           | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| <b>Temperature</b>                 | 32-104º F (0 - 40º C)                                                               |
| <b>Humidity (non-condensing)</b>   | 20-90%                                                                              |

|                                     |                                                                                                    |
|-------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>VESA Compatible</b>              | 100 x 100 mm                                                                                       |
| <b>Frequency Horizontal</b>         | VGA (24 ~ 86 KHz)   HDMI 1.4 (24 ~ 86 KHz)                                                         |
| <b>Frequency Vertical</b>           | VGA (48 ~ 75 Hz)   HDMI 1.4 (48 ~ 75 Hz)                                                           |
| <b>Tilt (Forward/Back)</b>          | 3° / 20°                                                                                           |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy                                                    |
| <b>Net (lbs)</b>                    | 6.4                                                                                                |
| <b>Net Without Stand (lbs)</b>      | 5.6                                                                                                |
| <b>Gross (lbs)</b>                  | 9.2                                                                                                |
| <b>Net (kg)</b>                     | 2.9                                                                                                |
| <b>Net Without Stand (kg)</b>       | 2.5                                                                                                |
| <b>Gross (kg)</b>                   | 4.2                                                                                                |
| <b>Packaging (in.)</b>              | 23.7" (W) x 16.1" (H) x 4.7" (D)                                                                   |
| <b>Physical (in.)</b>               | 21" (W) x 16.5" (H) x 7.4" (D)                                                                     |
| <b>Physical Without Stand (in.)</b> | 21" (W) x 12.6" (H) x 2" (D)                                                                       |
| <b>Packaging (mm)</b>               | 602 mm (W) x 408 mm (H) x 120 mm (D)                                                               |
| <b>Physical (mm)</b>                | 534 mm (W) x 419 mm (H) x 189 mm (D)                                                               |
| <b>Physical Without Stand (mm)</b>  | 534 mm (W) x 321 mm (H) x 51 mm (D)                                                                |
| <b>Package Contents</b>             | LCD Display, Power Cable, HDMI Cable, Quick Start Guide                                            |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                                 |
| <b>Warranty</b>                     | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |

UPC: 766907031881



**FULL HD (1920X1080P)  
RESOLUTION**

## Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)