

VIEWSONIC 24" 1080P 1MS 120HZ IPS MONITOR WITH HDMI, DP, AND VGA | VX2470-MHD

Key Features

- See The Difference: 24 Inch Full HD (1920x1080p) IPS gaming monitor with thin bezels
- Game On: 120Hz refresh rate and 1ms (MPRT) response time for fast gaming
- Itra-Smooth Gaming: FreeSync technology enables fluid and tear-free gameplay
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Optimized Settings: An arsenal of pre-set customizable visual modes for any situation
- Flexible Connectivity: The VX2470-MHD supports laptops, PCs, and Macs with HDMI, DisplayPort, and VGA inputs



24"
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

Featuring versatile connectivity and performance, the ViewSonic® VX2470-MHD monitor is built for both work and play. Designed with SuperClear® IPS panel technology for wide-angle viewing and vibrant color, it delivers stunning visuals whether you're doing projects, watching a movie, or gaming. Its 3-sided frameless design enhances immersion in multi-monitor setups, while connectivity options including VGA, HDMI, and DisplayPort ensure compatibility with your favorite devices. Flicker-Free technology and a blue light filter help reduce eye strain during long sessions, while ViewSonic's industry-leading 3-year limited warranty offers lasting peace of mind for home, office, and gaming use.

Specifications

UPC	766907033830
Screen Size	24"
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	6 bit + FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	3ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	18w
Eco Mode (optimized)	20w
Consumption (typical)	22w
Consumption (max)	36w
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1

Physical Controls	U, R, D, L, EN (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	VGA = 30 ~ 86 KHz
Frequency Vertical	HDMI 1.4 = 30~120Hz DisplayPort 1.2 = 50~120 Hz VGA = 48 ~ 75 Hz
Tilt (Forward/Back)	3° / 21°
Regulations	cSGSUS, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy
Net (lbs)	7.5
Net Without Stand (lbs)	6.1
Gross (lbs)	10.6
Net (kg)	3.4
Net Without Stand (kg)	2.8
Gross (kg)	4.8
Packaging (in.)	23.6" (W) x 16.5" (H) x 5.5" (D)
Physical (in.)	21.26" (W) x 16.14" (H) x 7.96" (D)
Physical Without Stand (in.)	21.26" (W) x 12.46" (H) x 1.81" (D)
Packaging (mm)	600mm (W) x 420mm (H) x 140mm (D)
Physical (mm)	540.13mm (W) x 410.03mm (H) x 202.31mm (D)
Physical Without Stand (mm)	540.13mm (W) x 316.37mm (H) x 46mm (D)
Package Contents	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907033830



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)

888.881.8781
 email:
salesinfo@viewsonic.com