


## VIEWSONIC 24" 1080P ERGONOMIC 100HZ MONITOR WITH HDMI, DISPLAYPORT, AND USB HUB | VG2451

### Key Features

---


- Versatile Monitor: 24 Inch Full HD (1920x1080p) IPS monitor with a 100Hz refresh rate and frameless design
- Ergonomic Stand: Advanced ergonomics with tilt, swivel, rotate, and height adjustment for all-day comfort
- Versatile Stand: Easy-to-install quick release stand with carrying handle and client mount
- Eco Friendly: Eco-friendly, easy-open box for streamlined monitor setup
- Flexible Connectivity: The VG2451 supports laptops, PCs, Macs, and more with HDMI, DisplayPort, and VGA inputs, and a USB hub featuring USB-C, USB-A, and USB-B ports



24"  
**DISPLAY**



IPS  
**PANEL**



1920 x 1080  
**RESOLUTION**



### Product Description

---


The ViewSonic® VG2451 is a 24" monitor that makes it easy to connect, no matter what system you're using. Featuring HDMI, DisplayPort, and VGA, it works seamlessly with both modern and legacy devices. With a built-in USB hub featuring USB-A, USB-B, and USB-C with 15W Power Delivery, you can effortlessly connect your peripherals. Plus, front-facing USB ports offer instant access for accessories when you need it most. The frameless IPS panel brings your work to life with vivid brightness, sharp contrast, and wide viewing angles. Whether you're collaborating or working solo, the screen looks great from almost any angle. Backed by a three-year limited warranty and one of the best pixel performance policies in the industry, the VG2451 delivers incredible value and peace of mind.

# Specifications

|                             | More Information                             |
|-----------------------------|----------------------------------------------|
| UPC                         | 766907034455                                 |
| Screen Size                 | 24"                                          |
| Viewable Area (in.)         | 23.8                                         |
| Panel Type                  | IPS                                          |
| Display Resolution          | 1920 x 1080                                  |
| Display Resolution          | Full HD (1920x1080)                          |
| Static Contrast Ratio       | 1,500:1                                      |
| Dynamic Contrast Ratio      | 80M:1                                        |
| Light Source                | LED                                          |
| Brightness                  | 350 cd/m2                                    |
| Colors                      | 16.7M                                        |
| Color Space Support         | 6 bit + Hi-FRC                               |
| Aspect Ratio                | 16:9                                         |
| Response Time (Typical GTG) | 5ms                                          |
| Viewing Angles              | 178º horizontal, 178º vertical               |
| Backlight Life (Hours)      | 30,000                                       |
| Panel Surface               | Anti-Glare type, Hard-coating (3H), Haze 25% |
| Refresh Rate                | 100Hz                                        |
| PC Resolution (max)         | 1920 x 1080                                  |
| Mac® Resolution (max)       | 1920 x 1080                                  |
| USB Type A                  | 2                                            |
| USB Type B                  | 1                                            |
| USB Type C                  | 15W x 2                                      |
| VGA                         | 1                                            |
| HDMI 1.4 (with CEC)         | 1                                            |
| DisplayPort                 | 1                                            |
| Internal Speakers           | 2W (x2)                                      |
| Eco Mode (Conserve)         | 82w                                          |
| Eco Mode (optimized)        | 85w                                          |
| Consumption (typical)       | 88w                                          |
| Consumption (max)           | 92w                                          |
| Voltage                     | AC 100-240V (universal), 50-60Hz             |
| Stand-by                    | 0.5W                                         |

|                                     |                                                                                     |
|-------------------------------------|-------------------------------------------------------------------------------------|
| <b>Power Supply</b>                 | Internal                                                                            |
| <b>Cable Organization</b>           | No                                                                                  |
| <b>Kensington Lock Slot</b>         | 1                                                                                   |
| <b>Physical Controls</b>            | Joystick key: Up, Right, Down, Left, Center; Power                                  |
| <b>On Screen Display</b>            | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| <b>Temperature</b>                  | 32-104º F (0 - 40º C)                                                               |
| <b>Humidity (non-condensing)</b>    | 20-90%                                                                              |
| <b>VESA Compatible</b>              | 100 x 100 mm                                                                        |
| <b>Frequency Horizontal</b>         | HDMI 1.4 = 24 ~ 110 KHz / VGA = 24 ~ 82 KHz / DisplayPort = 24 ~ 110 KHz            |
| <b>Frequency Vertical</b>           | HDMI 1.4 = 50 ~ 100 Hz / VGA = 50 ~ 75 Hz / DisplayPort = 50 ~ 100 Hz               |
| <b>Height Adjust</b>                | 150 mm / 5.9 in                                                                     |
| <b>Swivel</b>                       | 90º                                                                                 |
| <b>Pivot (Right/Left)</b>           | 90º / 90º                                                                           |
| <b>Tilt (Forward/Back)</b>          | 5º / 30º                                                                            |
| <b>Regulations</b>                  | cSGSUS, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy      |
| <b>Net (lbs)</b>                    | 12.5                                                                                |
| <b>Net Without Stand (lbs)</b>      | 7.6                                                                                 |
| <b>Gross (lbs)</b>                  | 17.2                                                                                |
| <b>Net (kg)</b>                     | 5.7                                                                                 |
| <b>Net Without Stand (kg)</b>       | 3.4                                                                                 |
| <b>Gross (kg)</b>                   | 7.8                                                                                 |
| <b>Packaging (in.)</b>              | 23.6 x 16.1 x 5.6                                                                   |
| <b>Physical (in.)</b>               | 21.21 x 15.84~19.89 x 8.08                                                          |
| <b>Physical Without Stand (in.)</b> | 21.21 x 12.5 x 1.76                                                                 |
| <b>Packaging (mm)</b>               | 600 x 410 x 143                                                                     |
| <b>Physical (mm)</b>                | 538.8 x 402.32~505.22 x 205.27                                                      |
| <b>Physical Without Stand (mm)</b>  | 538.8 x 317.51 x 44.75                                                              |
| <b>Package Contents</b>             | LCD Display, Power Cable, HDMI Cable, USB-A/B Cable, Quick Start Guide              |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                  |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight                           |

UPC: 766907034455



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)