





VIEWSONIC 27" 1080P IPS 120HZ MONITOR WITH HDMI AND VGA | VA270A-H

Key Features


- 27-INCH FULL HD IPS DISPLAY: Delivers sharp 1920 x 1080 visuals with wide viewing angles for everyday work and entertainment
- SUPERCLEAR® IPS TECHNOLOGY: Provides accurate color and consistent brightness from virtually any viewing angle
- EDGE-TO-EDGE DESIGN: Frameless screen creates a clean, modern look and a more immersive viewing experience
- VARIABLE REFRESH RATE: Helps reduce screen tearing for smoother, more fluid casual gameplay
- VERSATILE CONNECTIVITY: HDMI and VGA inputs support laptops, PCs, Macs, and more



27"
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

From spreadsheets to streaming to casual gameplay, the ViewSonic® VA270A-H is built to keep up with your lifestyle. Its 27" IPS screen delivers sharp visuals and wide viewing angles, so images look clear and consistent no matter where you're sitting. A sleek three-sided frameless design keeps your setup looking clean and modern, while HDMI and VGA connectivity make it easy to switch between work and entertainment. Smooth, tear-free visuals and built-in viewing comfort features help reduce distractions during long sessions, making the VA270A-H a monitor that's easy to use all day, every day.

Specifications

More Information	
UPC	766907030945
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS

Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	6 bit + FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
VGA	1
HDMI 1.4 In	1
Eco Mode (Conserve)	22w
Eco Mode (optimized)	25w
Consumption (typical)	28w
Consumption (max)	30w
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.3 W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	75 x 75 mm
Frequency Horizontal	HDMI 1.4 = 30 ~ 135 KHz / VGA = 24 ~ 86 KHz
Frequency Vertical	HDMI 1.4 = 48 ~ 120 Hz / VGA = 48 ~ 75 Hz
Tilt (Forward/Back)	3º / 15º

Regulations	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy
Net (lbs)	7.7
Net Without Stand (lbs)	6.8
Gross (lbs)	10.4
Net (kg)	3.5
Net Without Stand (kg)	3.1
Gross (kg)	4.7
Packaging (in.)	"6.8" x 18.1" x 4.7"
Physical (in.)	24.22" x 17.94" x 7.43"
Physical Without Stand (in.)	24.22" x 14.33" 1.89"
Packaging (mm)	680mm x 460mm x 120mm
Physical (mm)	615.07mm x 455.65mm x 188.73mm
Physical Without Stand (mm)	615.07mm x 364.1mm x 47.96mm "
Package Contents	LCD Display, Power Cable, AC/DC Adapter, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907030945	



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com