

# VIEWSONIC 27" COLORPRO™ 4K UHD IPS DOCKING MONITOR WITH 100W THUNDERBOLT 4, RJ45, DCI-P3 AND HDR400 | VP2776T-4K

## Key Features

- 27 Inch 4K UHD (3840x2160p) IPS monitor with thin bezels and 60Hz refresh rate
- Enjoy lightning-fast data transfer speeds of up to 40 Gbps for data, video, and audio transmission while delivering up to 100W of power.
- 100% sRGB, 98% DCI-P3 colors, and HDR400 for deep contrast.
- This monitor has been certified as capable of reproducing Pantone Matching System colors
- The VP2776T-4K supports laptops, PCs, Macs and more with Thunderbolt 4, USB-C, HDMI 2.1, DisplayPort, USB, and micro USB inputs



27"  
DISPLAY



IPS  
PANEL



3840 x 2160  
RESOLUTION



## Product Description

The VP2776T-4K ColorPro™ Monitor is a powerhouse for creative professionals, engineers, programmers and more. This 27" Pantone Validated display delivers exceptional 4K visuals, accurate DCI-P3 colors, and HDR400 for deep contrast. Its integrated Thunderbolt 4 docking station offers 100W power delivery, RJ45 Ethernet, and multiple connectivity options such as DisplayPort, HDMI, and a USB hub for a streamlined workspace. With dual 4K daisy chaining via Thunderbolt 4, you can easily expand your display setup for maximum productivity.

## Specifications

More Information


UPC

766907026061

<b>Screen Size</b>	27"
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	3840 x 2160
<b>Display Resolution</b>	4K (3840x2160)
<b>Static Contrast Ratio</b>	2,000:1
<b>Dynamic Contrast Ratio</b>	20M:1
<b>Light Source</b>	LED
<b>Brightness</b>	400 cd/m2
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10 bit (8 bit + FRC)
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>Refresh Rate</b>	60Hz
<b>PC Resolution (max)</b>	3840 x 2160
<b>Mac® Resolution (max)</b>	3840 x 2160
<b>USB Type A</b>	3
<b>USB Type C</b>	15W x 1 (upstream)
<b>Micro USB</b>	1
<b>3.5mm Audio Out</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>HDMI 2.1 In</b>	2
<b>DisplayPort</b>	1
<b>Thunderbolt 4</b>	2 [1 upstream(100W) / 1 downstream (15W)]
<b>Internal Speakers</b>	3W (x2)
<b>Eco Mode (Conserve)</b>	221
<b>Eco Mode (optimized)</b>	227
<b>Consumption (typical)</b>	235
<b>Consumption (max)</b>	250
<b>Voltage</b>	DC 24V
<b>Stand-by</b>	0.5
<b>Power Supply</b>	External
<b>Cable Organization</b>	No

<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Joystick key: Up, Right, Down, Left, Center; Power
<b>On Screen Display</b>	Input Select, Color Mode, ViewMode, Audio Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	30 ~ 150 KHz
<b>Frequency Vertical</b>	24 ~ 75 Hz
<b>Height Adjust</b>	120 mm / 4.7 in
<b>Swivel</b>	120°
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Tilt (Forward/Back)</b>	3° / 22°
<b>Regulations</b>	cTUVus, FCC-B ICES003, Energy Star, EPEAT, CEC, NRCan
<b>Net (lbs)</b>	16.8
<b>Net Without Stand (lbs)</b>	9.3
<b>Gross (lbs)</b>	28.9
<b>Net (kg)</b>	7.6
<b>Net Without Stand (kg)</b>	4.2
<b>Gross (kg)</b>	13.1
<b>Packaging (in.)</b>	28.3 x 20.3 x 9
<b>Physical (in.)</b>	24.16 x 17.73 ~ 22.46 x 9.21
<b>Physical Without Stand (in.)</b>	24.16 x 14.32 x 2.20
<b>Packaging (mm)</b>	720 x 515 x 228
<b>Physical (mm)</b>	613.7 x 450.36 ~ 570.36 x 234
<b>Physical Without Stand (mm)</b>	613.7 x 363.85 x 55.8
<b>Package Contents</b>	LCD Display, DisplayPort Cable, HDMI Cable, Thunderbolt4 Cable, USB-C to USB-A Cable, Power Adaptor, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907026061



### Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)