


34" UWQHD 21:9 IPS CURVED ULTRAWIDE MONITOR WITH 96W USB-C | VG3420C

Key Features


- **MORE SPACE ON ONE MONITOR WITH 21:9 ASPECT RATIO:** A UWQHD 21:9 screen keeps apps, documents and dashboards open side by side so your workflow stays uninterrupted.
- **IMMERSIVE 1900R CURVED SCREEN:** A 1900R curved IPS screen wraps around your natural line of sight for a more immersive viewing experience.
- **ONE USB-C CABLE DOES IT ALL:** One USB-C cable delivers video, audio, data and 96W of power for a cleaner setup.
- **RICH COLOR FOR PROFESSIONAL WORK:** HDR10 support and a 98% DCI-P3 color gamut deliver precise color accuracy and richer contrast so presentations and creative assets can look their best.
- **FLEXIBLE MULTI-DEVICE CONNECTIVITY:** USB-C, HDMI and DisplayPort inputs cover almost every device, while a built-in USB hub helps connect keyboards, mice and other peripherals.
- **BUILT FOR ALL-DAY COMFORT:** Find your ideal position with an ergonomic stand with tilt, swivel and height adjustment features.



34"
DISPLAY



IPS
PANEL



3440 × 1440
RESOLUTION



Product Description

The ViewSonic® VG3420C delivers the productivity of a dual-monitor setup on a single 34-inch curved screen. By offering an expansive 21:9 UWQHD workspace, this monitor allows for seamless side-by-side multitasking across spreadsheets and dashboards. To keep the full width of the screen within comfortable focus, the 1900R curvature wraps around your natural line of sight. This immersive view is paired with a 98% DCI-P3 color gamut and HDR10 support to ensure your creative assets remain vibrant and color-accurate. You can also streamline your desk with a single USB-C cable that delivers video, audio, data and 96W of power. The entire experience is supported by a fully ergonomic stand with tilt, swivel and height adjustment features to keep you comfortable throughout the day.

Specifications

	More Information
UPC	766907032956
Screen Size	34"
Viewable Area (in.)	34.1
Panel Type	IPS
Display Resolution	3440 x 1440
Display Resolution	UWQHD (3440x1440)
Static Contrast Ratio	2,000:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	8-bit true
Aspect Ratio	21:9
Response Time (Typical GTG)	5ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Curvature	1900R
Refresh Rate	120Hz
PC Resolution (max)	3440 × 1440
Mac® Resolution (max)	3440 × 1440
USB Type A	2
USB Type B	1
USB Type C	96W x 1
3.5mm Audio Out	1
HDMI 2.1 In	2
DisplayPort	1
Internal Speakers	2.5W (x2)
Eco Mode (Conserve)	21 W
Eco Mode (optimized)	24 W
Consumption (typical)	27 W
Consumption (max)	39 W

Voltage	DC 24V
Stand-by	0.5
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	M, Right, Left, E, Power
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 2.1: 15-222 / DisplayPort: 15-183 kHz / USB Type C: 15-183 kHz
Frequency Vertical	HDMI 2.1: 48-120 Hz / DisplayPort: 48-120 Hz / USB Type C: 48-120 Hz
Height Adjust	130 mm / 5.1 in
Swivel	-30° / 30°
Tilt (Forward/Back)	-5° / 15°
Regulations	cTUVus, FCC-B, ICES003, Energy Star, CEC
Net (lbs)	18.1
Net Without Stand (lbs)	13.7
Gross (lbs)	25.4
Net (kg)	8.2
Net Without Stand (kg)	6.2
Gross (kg)	11.5
Packaging (in.)	39.4 × 17.1 × 7.7
Physical (in.)	32.07 × 16.72~21.81 × 9.36
Physical Without Stand (in.)	32.07 × 14.31 × 4.04
Packaging (mm)	1000 × 435 × 196
Physical (mm)	814.7 × 424.66~554.66 × 237.8
Physical Without Stand (mm)	814.7 × 363.56 × 102.65
Package Contents	VG3420C x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v2.1; Male-Male) x1, DisplayPort Cable (v1.4; Male-Male) x1, USB Type-C Cable (Male-Male) x1, USB A/B Cable (v3.2; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907032956



Contact Sales

ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com