5,000 ANSI LUMENS 4K UHD LAMP-FREE LASER INSTALLATION PROJECTOR | LS740-4K

Key **Features**

• 4K CLARITY IN AMBIENT LIGHTING: True 4K resolution and 5,000 ANSI lumens deliver crisp, vibrant visuals even in rooms with ambient lighting.
• FLEXIBLE MOUNTING OPTIONS: A 1.6x optical zoom, H/V keystone and 360-degree projection support effortless ceiling, floor or portrait setups.
• MAINTENANCE-FREE LIFESPAN: The latest laser phosphor technology provides up to 30,000 hours of operation.
• REDUCED ENERGY COSTS: Consumes up to 49% less power than traditional lamp models, lowering utility bills and total cost of ownership.
• REMOTE MANAGEMENT MADE EASY: Centralized RJ45 LAN connectivity allows IT teams to seamlessly monitor, control and manage devices remotely.
• LONG-LASTING PERFORMANCE: An IP6X-rated sealed optical engine blocks dust intrusion to ensure consistent image quality with no upkeep required.



30 - 300 in. / 0.76 - 7.62 m
DISPLAY



PANEL



4K UHD (3840 x 2160)
RESOLUTION

Product **Description**

The ViewSonic LS740-4K is a high-performance, low-maintenance projector built for exceptional versatility across educational, corporate and entertainment spaces. Whether it's deployed in a classroom, conference room or home theater, this lamp-free projector delivers 5,000 ANSI lumens at 4K UHD resolution. These vibrant visuals hold up beautifully against ambient light. For golf enthusiasts, a dedicated Golf Mode optimizes color accuracy to make fairways and putting surfaces look remarkably lifelike. Powered by the latest laser phosphor technology, this 4K projector provides up to 30,000 hours of maintenance-free operation with no lamp replacements needed. Compared to traditional lamp models, the LS740-4K reduces energy consumption by up to 49%. For schools and businesses, those savings on energy and maintenance add up to a meaningfully lower total cost of ownership. To accommodate a wide range of room layouts, a 1.6x optical zoom provides exceptional placement flexibility while 360-degree projection supports effortless ceiling, floor or portrait installations. Inside the projector, a high-contrast 0.65-inch DMD chip keeps text razor-sharp and video content crystal clear. The LS740-4K features an IP6X-rated sealed optical engine that blocks dust to ensure consistent image quality without the need for a filter.

Specifications

More Information	
UPC	766907041897
Light Source	Laser
Display Resolution	4K (3840x2160)
Display Resolution	3840 x 2160
Brightness (Lumens)	5,000 ANSI
Screen Size	30 - 300 in. / 0.76 - 7.62 m
Throw Distance	0.93m - 14.88m (100"@3.1m)
Throw Ratio	1.4 - 2.24
Offset	124%+/-10%
Keystone	Vertical (± 30º) / Horizontal (± 30º)
Lens	1.6x optical zoom
Light Source Life, Normal (hours)	20000
Light Source Life, SuperEco (hours)	30,000
Color Depth	1.07 Billion Colors
Dynamic Contrast Ratio	3,000,000:1
Aspect Ratio	16:9
Input Lag	4.2ms
Lens Shift	N/A (Digital Zoom: 0.8x-2.0x)
Frequency Horizontal	15K-150KHz
Frequency Vertical	24-240Hz
PC Resolution (max)	4K UHD (3840 x 2160)
PC Resolution (min)	VGA (640 x 480)
Mac® Resolution (max)	4K UHD (3840 x 2160)
Mac® Resolution (min)	VGA (640 x 480)
USB 2.0 Type A	1 (5V/1.5A) Power, Service
Ethernet LAN (RJ45)	1
3.5mm Audio Out	1
Control (RS232)	1
HDMI 2.0 In	2
Internal Speakers	15W (x1)
Audible Noise (Normal)	32dB
Audible Noise (Eco)	27dB
Voltage	Input: 100~240V & Output: 19.5VDC / 11.79A

Consumption (typical)	165W
Stand-by	<0.5W
Temperature	32-104º F (0 - 40º C)
Normal	32dB
Eco-Mode	27dB
Net (lbs)	6.83
Gross (lbs)	10.58
Net (kg)	3.10
Gross (kg)	4.80
Packaging (in.)	15.7x11x6.1
Physical (in.)	11.3x8.5x5.1
Packaging (mm)	400x280x155
Physical (mm)	286x216x129
Regulations	cTUVus, CE, FCC, Laser
Package Contents	Projector, power cable, remote control, Quick Start Guide
Warranty	Three-year limited warranty on parts and labor, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907041897

Contact Sales
ViewSonic.com
888.881.8781
email:
salesinfo@viewsonic.com