


27" COLORPRO QHD IPS MONITOR WITH 100W THUNDERBOLT 4, RJ45, SRGB 100% AND HDR400 | VP2776T-2K

Key Features


- **THUNDERBOLT 4 CONNECTIVITY:** A single Thunderbolt™ 4 cable delivers up to 100W of power and data transfer speeds up to 40 Gbps, all through one connection.
 - **INTEGRATED DOCKING STATION:** A USB-A and USB-C hub keeps your keyboard, mouse and other peripherals connected, while a dedicated RJ45 port provides network connectivity at speeds up to 2.5GbE.
 - **THUNDERBOLT 4 DAISY CHAINING:** Dedicated pass-through ports let you daisy chain dual 2K displays to expand your screen real estate without cable clutter.
 - **CROSS-PLATFORM COMPATIBILITY:** Native Thunderbolt 4 support delivers seamless connectivity across both Windows and macOS, for single or dual monitor setups.
 - **RELIABLE COLOR ACCURACY:** This Pantone® Validated display comes factory calibrated for 100% sRGB coverage to ensure real-world color accuracy.
 - **ADVANCED ERGONOMIC DESIGN:** Maintain proper posture using height, tilt, swivel and 90° pivot adjustments. Auto Pivot automatically reorients onscreen content to Portrait mode (when enabled in ColorPro Display Manager).
-



27"
DISPLAY



IPS
PANEL



2560 x 1440
RESOLUTION



Product Description

The ViewSonic ColorPro® VP2776T-2K monitor delivers high-speed performance and streamlined connectivity for creative teams and corporate workspaces alike. Through a single Thunderbolt™ 4 cable, this 27" monitor transfers data at speeds up to 40 Gbps while supporting native daisy chaining. That gives IT teams one dependable standard for both Windows and Mac devices across single or dual monitor setups. An integrated docking station provides up to 100W of power, 2.5GbE Ethernet connectivity as well as a USB-A and USB-C peripheral hub. There's also a KVM switch, so users can control two connected devices using a single keyboard and mouse. For creative accuracy, each monitor is factory calibrated for 100% sRGB coverage right out of the box. The VP2776T-2K is also Pantone® Validated, ensuring onscreen visuals meet strict real-world color standards. To keep users comfortable throughout long workdays, an included ergonomic stand offers full height, tilt, swivel and pivot adjustments.

Specifications

UPC	766907041408
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	2560 x 1440
Display Resolution	WQHD (2560x1440)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	20M:1
Light Source	LED
Brightness	400
Colors	16.7M
Color Space Support	8 bit true
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
PC Resolution (max)	2560 x 1440
Mac® Resolution (max)	2560 x 1440
USB Type A	3
USB Type C	2 [1 upstream (15W) / 1 downstream (15W)]
3.5mm Audio Out	1
Ethernet LAN (RJ45)	1
HDMI 2.1 In	2
DisplayPort	1
DisplayPort Out	1
Internal Speakers	3W (x2)
Eco Mode (Conserve)	231
Eco Mode (optimized)	238
Consumption (typical)	245
Consumption (max)	250
Voltage	DC 24V
Stand-by	0.5
Power Supply	External
Cable Organization	No

Kensington Lock Slot	1
Physical Controls	Joystick key: Up, Right, Down, Left, Center; Power
On Screen Display	Input Select, Color Mode, ViewMode, Audio Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 2.1/DisplayPort/Thunderbolt = 30 ~ 183 KHz
Frequency Vertical	HDMI 2.1/DisplayPort/Thunderbolt = 48 ~ 120 Hz
Height Adjust	120 mm / 4.7 in
Swivel	-30º / 30º
Pivot (Right/Left)	90º / 90º
Tilt (Forward/Back)	3º / 23º
Regulations	cTUVus, FCC-B ICES003, Energy Star 8.0, EPEAT Silver, CEC
Net (lbs)	17.6
Net Without Stand (lbs)	10.1
Gross (lbs)	28.9
Net (kg)	8
Net Without Stand (kg)	4.6
Gross (kg)	13.1
Packaging (in.)	28.3 x 17.8 x 9
Physical (in.)	24.16 x 17.73 ~ 22.46 x 9.13
Physical Without Stand (in.)	24.16 x 14.32 x 2.20
Packaging (mm)	720 x 452 x 228
Physical (mm)	613.7 x 450.36 ~ 570.36 x 231.9
Physical Without Stand (mm)	613.7 x 363.85 x 55.8
Package Contents	LCD Display, DisplayPort Cable (v1.4), HDMI Cable (v2.1), Thunderbolt 4 Cable, USB-C to USB-A Cable, Power Adaptor, Power Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907041408



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email: salesinfo@viewsonic.com