22" 1080P 120HZ MONITOR WITH VARIABLE REFRESH RATE, HDMI AND VGA | VA2248-MH

Key **Features**

• **Frameless Design:** 22" Full HD (1920x1080p) monitor with a frameless, edge-to-edge screen and thin bezels for seamless multi-monitor setups


• **Versatile Connectivity:** HDMI and VGA inputs connect to laptops, PCs, Macs and more

• **Accurate from All Angles:** SuperClear® VA panel technology delivers consistent color and brightness at any viewing angle


• **Variable Refresh Rate:** Eliminates screen tearing by synchronizing your GPU and monitor

• **Enhanced Viewing Comfort:** Flicker-Free technology and a Blue Light Filter can help reduce eye strain during extended use






22"
DISPLAY



VA
PANEL



1920 x 1080
RESOLUTION



Product **Description**

Level up the way you work and play with the ViewSonic® VA2248-MH monitor. Featuring a frameless VA panel, this 22" monitor delivers crisp 1080p resolution, deep contrast and wide viewing angles. Its three-sided frameless design drastically minimizes borders, making it ideal for streamlined dual-monitor setups. Flexible connectivity options, including HDMI and VGA inputs, make it simple to connect everything from legacy desktop towers to modern laptops. A 120Hz refresh rate keeps motion smooth, whether you're working through spreadsheets or watching the latest shows. Variable Refresh Rate technology eliminates screen tearing by synchronizing your GPU and monitor. Backed by a 3-year limited warranty and one of the industry's best pixel performance policies, the VA2248-MH is a reliable long-term investment for home or office applications.

Specifications

More Information	
UPC	766907043631
Screen Size	22"
Viewable Area (in.)	21.5
Panel Type	VA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	4,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
Flicker-Free	Yes
Blue Light Filter	Yes
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Internal Speakers	2-watt (x2)
Eco Mode (Conserve)	13w
Eco Mode (optimized)	15w
Consumption (typical)	18w
Consumption (max)	27w
Voltage	AC 100-240V (universal), 50-60Hz

Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	U, R, D, L, EN (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 1.4: 30 ~ 135 KHz; VGA: 30 ~ 86 KHz
Frequency Vertical	HDMI 1.4: 48 ~ 120 Hz; VGA: 48 ~ 75 Hz
Tilt (Forward/Back)	4º / 20º
Regulations	cSGSus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC
Net (lbs)	6.0
Net Without Stand (lbs)	5.3
Gross (lbs)	8.8
Net (kg)	2.7
Net Without Stand (kg)	2.4
Gross (kg)	4.0
Packaging (in.)	21.4 x 15.4 x 5.2
Physical (in.)	19.41 x 15.58 x 7.60
Physical Without Stand (in.)	19.41 x 11.10 x 1.81
Packaging (mm)	544.0 x 390.0 x 131.0
Physical (mm)	493.13 x 395.80 x 192.93
Physical Without Stand (mm)	493.13 x 282.01 x 46.0
Package Contents	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907043631







Contact Sales
ViewSonic.com
888.881.8781
email: salesinfo@viewsonic.com