

## 27" COLORPRO® 2K QHD IPS MONITOR WITH 90W USB-C, 100% SRGB AND 120HZ | VP2766-2K

### Key Features

---


- **BUILT FOR CREATORS:** 27" 2K QHD (2560 x 1440) IPS monitor with thin bezels and a 120Hz refresh rate for smooth, fast-moving visuals
- **MAC-TO-MONITOR CONTROL:** Adjust brightness and volume from your Mac's function keys, or use the on-screen menu to personalize ViewMode™ and other settings
- **SINGLE-CABLE USB-C CONNECTIVITY:** One USB-C cable handles video, data and up to 90W of power
- **TRUE-TO-LIFE COLOR ACCURACY:** Pantone® validated display with factory hardware calibration and 100% sRGB coverage for colors that look exactly as intended
- **WORK IN GREATER COMFORT:** A sleek ergonomic stand offers full tilt, swivel, pivot and height adjustment so you can adjust the monitor to your ideal preference



27"  
**DISPLAY**



IPS  
**PANEL**



2560 x 1440  
**RESOLUTION**



### Product Description

---

The 27" ViewSonic® VP2766-2K QHD monitor brings stunning precision and outstanding color to modern creative workflows. Built for video editing, graphic design and animation, this 2K monitor features a 120Hz refresh rate for clear, stutter-free motion. Creators can rely on a Pantone® validated display with 100% sRGB coverage for true-to-life color reproduction. Cable management is simple too, since a single USB-C cable handles video, data and up to 90W of power delivery while an HDMI port adds greater flexibility. To keep you comfortable during longer sessions, a sleek ergonomic stand lets you easily adjust the tilt, swivel, pivot and height. Built-in flicker-free technology and a low blue light solution can help reduce eye fatigue when you're working long hours. Whether you're editing, designing or even gaming, the VP2766-2K delivers gorgeous visuals that bring your creative vision to life.

# Specifications

|                             | More Information                             |
|-----------------------------|----------------------------------------------|
| UPC                         | 766907037937                                 |
| Screen Size                 | 27"                                          |
| Viewable Area (in.)         | 27                                           |
| Panel Type                  | IPS                                          |
| Display Resolution          | 2560 x 1440                                  |
| Display Resolution          | QHD (2560x1440)                              |
| Static Contrast Ratio       | 1,500:1                                      |
| Dynamic Contrast Ratio      | 20,000,000:1                                 |
| Light Source                | LED                                          |
| Brightness                  | 350 cd/m2                                    |
| Colors                      | 16.7M                                        |
| Color Space Support         | 8 bit (6 bit + Hi-FRC)                       |
| Aspect Ratio                | 16:9                                         |
| Response Time (Typical GTG) | 5ms                                          |
| Viewing Angles              | 178º horizontal, 178º vertical               |
| Backlight Life (Hours)      | 30,000                                       |
| Panel Surface               | Anti-Glare type, Hard-coating (3H), Haze 25% |
| Refresh Rate                | 120Hz                                        |
| PC Resolution (max)         | 2560 x 1440                                  |
| Mac® Resolution (max)       | 2560 x 1440                                  |
| USB Type A                  | 1                                            |
| USB Type C                  | 4                                            |
| 3.5mm Audio Out             | 1                                            |
| HDMI 2.1 In                 | 1                                            |
| Internal Speakers           | 3W (x2)                                      |
| Eco Mode (Conserve)         | 16W                                          |
| Eco Mode (optimized)        | 18W                                          |
| Consumption (typical)       | 20W                                          |
| Consumption (max)           | 27W                                          |
| Voltage                     | DC 24V                                       |
| Stand-by                    | 0.5W                                         |
| Power Supply                | External                                     |
| Cable Organization          | No                                           |

|                                     |                                                                                                                 |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Kensington Lock Slot</b>         | 1                                                                                                               |
| <b>Physical Controls</b>            | Key 1, Key 2, Key 3, Key 4, Key 5, Key 6 (power)                                                                |
| <b>On Screen Display</b>            | Input Select, Color Mode, ViewMode, Audio Adjust, Setup Menu                                                    |
| <b>VESA Compatible</b>              | 100 x 100 mm                                                                                                    |
| <b>Frequency Horizontal</b>         | HDMI 2.1, USB Type C: 15 ~ 190 KHz                                                                              |
| <b>Frequency Vertical</b>           | HDMI 2.1, USB Type C: 48 ~ 120 Hz                                                                               |
| <b>Height Adjust</b>                | 130 mm / 5.1 in                                                                                                 |
| <b>Swivel</b>                       | 90°                                                                                                             |
| <b>Pivot (Right/Left)</b>           | 90° / 90°                                                                                                       |
| <b>Tilt (Forward/Back)</b>          | 5° / 20°                                                                                                        |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC                                                      |
| <b>Net (lbs)</b>                    | 12.0                                                                                                            |
| <b>Net Without Stand (lbs)</b>      | 8.2                                                                                                             |
| <b>Gross (lbs)</b>                  | 20.5                                                                                                            |
| <b>Net (kg)</b>                     | 12.1                                                                                                            |
| <b>Net Without Stand (kg)</b>       | 3.7                                                                                                             |
| <b>Gross (kg)</b>                   | 9.3                                                                                                             |
| <b>Packaging (in.)</b>              | 29.8 x 20.7 x 5.4                                                                                               |
| <b>Physical (in.)</b>               | 24.15 x 16.09~21.21 x 8.15                                                                                      |
| <b>Physical Without Stand (in.)</b> | 24.15 x 14.35 x 1.45                                                                                            |
| <b>Packaging (mm)</b>               | 758.0 x 527.0 x 136.0                                                                                           |
| <b>Physical (mm)</b>                | 613.34 x 408.8~538.8 x 207.0                                                                                    |
| <b>Physical Without Stand (mm)</b>  | 613.34 x 364.46 x 36.71                                                                                         |
| <b>Package Contents</b>             | VP2766-2K Display, Power Cable, HDMI Cable, USB-C Cable, USB-C to USB-A Cable, AC/DC Adapter, Quick Start Guide |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                                              |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight                                                       |

UPC: 766907037937



## Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)