




VP3481A - 34" COLORPRO™ 21:9 CURVED UWQHD MONITOR WITH 100HZ, FREESYNC, 90W USB C, RJ45 AND SRGB


Key Features



34"
DISPLAY



MVA
PANEL



3440 x 1440
RESOLUTION



Product Description


With an immersive curved screen and stunning WQHD+ 3440x1440 resolution, the ViewSonic VP3481a monitor elevates your viewing experience from flat to panoramic. Delivering incredible detail and vivid colors across wide viewing angles, this monitor is engineered to provide precise color accuracy, while HDR10 compatibility delivers a wider dynamic range of vivid colors and richer contrast. Thanks to an expansive 34" frameless screen, ultra-wide 21:9 aspect ratio, and integrated speakers, this monitor is ideal for video editing, content development, and other color-critical applications. Featuring an incredible 100Hz refresh rate and AMD FreeSync™ technology, this monitor delivers smooth, tear-free playback ideal for video editors and game developers. With a sleek and modern design, the VP3481a features a future-proof USB Type-C port with 90W charging, as well as DisplayPort technology, and HDMI. What's more, HDCP 2.2 content protection is standard across all ports to provide secure 4K content playback, streaming and gaming. The VP3481a provides an amazing Delta E<2 value and 99%* sRGB color accuracy for incredible and precise color accuracy. An integrated color uniformity function ensures consistent chromaticity across the screen, while a 14-bit 3D look-up table generates a stunningly smooth palette of 4.39 trillion colors. Hardware calibration is also available with the optional ViewSonic Colorbration Kit, which allows you to quickly and easily calibrate the monitor for photography, graphic design, and other professional applications.

Specifications

	More Information
UPC	766907012392
Screen Size	34"
Viewable Area (in.)	34
Panel Type	MVA
Display Resolution	3440 x 1440
Display Resolution	WQHD (3440x1440)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	400 cd/m2
Colors	16.7M
Color Space Support	8 bits
Aspect Ratio	21:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Curvature	1800R
PC Resolution (max)	3440 x 1440
Mac® Resolution (max)	3440 x 1440
USB Type A	2
USB Type B	1
USB Type C	90W x 1
Ethernet LAN (RJ45)	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	5W (x2)
Eco Mode (Conserve)	53.5W
Eco Mode (optimized)	62.5W
Consumption (typical)	74.5W
Consumption (max)	79.5W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W

Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	1,2,3,4,5,6 (Power)
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	15 ~ 135 KHz
Frequency Vertical	24 ~ 100 Hz
Height Adjust	130 mm / 5.1 in
Swivel	60º
Tilt (Forward/Back)	6° / 21°
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, MX-CoC, Mexico Energy
Net (lbs)	26.7
Net Without Stand (lbs)	16.2
Gross (lbs)	37.9
Net (kg)	12.1
Net Without Stand (kg)	7.4
Gross (kg)	17.2
Packaging (in.)	38.0 x 14.6 x 23.2
Physical (in.)	31.9 x 18.9 x 11.8
Physical Without Stand (in.)	31.9 x 14.4 x 4.1
Packaging (mm)	965.0 x 370.0 x 590.0
Physical (mm)	809.0 x 480.0 x 299.0
Physical Without Stand (mm)	809.0 x 366.0 x 105.0
Package Contents	VP3481a Display, Power cable, HDMI cable, DP to DP cable, USB Type C cable, USB Type B Uplink cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

UPC: 766907012392



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
888.881.8781
email:
salesinfo@viewsonic.com